

# CAHIER DU LAMSADE

Laboratoire d'Analyse et Modélisation de Systèmes pour l'Aide à la Décision  
(Université Paris-Dauphine)  
Unité de Recherche Associée au CNRS UMR 7024

## DEMAND FORECAST ACCURACY AND PERFORMANCE OF INVENTORY POLICIES UNDER MULTI-LEVEL ROLLING SCHEDULE ENVIRONMENTS CONSTRAINTS

CAHIER N° 195  
juin 2002

N.P. DELLAERT<sup>1</sup>  
J. JEUNET<sup>2</sup>

received: February 2002.

---

<sup>1</sup> Department of Operations Management, Eindhoven University of Technology, P.O. Box 513, 5600 MB Eindhoven, The Netherlands.

<sup>2</sup> LAMSADE, CNRS, Université Paris-Dauphine, Place du Maréchal De Lattre de Tassigny, 75775 Paris Cedex 16, France (jeunet@lamsade.dauphine.fr).

## COLLECTION DES CAHIERS ET DOCUMENTS DU LAMSADE

La collection des Cahiers et Documents du LAMSADE publie, en français ou en anglais, les travaux effectués par les chercheurs au sein même du laboratoire mais aussi les travaux menés en liaison étroite avec les collaborateurs du LAMSADE ou avec d'autres chercheurs, principalement à la suite d'un séjour au LAMSADE. Certains de ces travaux peuvent avoir fait l'objet d'une communication à un congrès qui est alors mentionné.

Toute proposition de Cahier ou Document pour publication est transmise au Comité de Rédaction qui le soumet, pour critique et discussion avec l'auteur, à un spécialiste du sujet traité. Toutefois, les opinions émises n'engagent que leurs auteurs.

Ces textes peuvent ensuite être soumis pour publication dans des revues spécialisées à un niveau international.

Un comité de rédaction anime cette collection.

Les Cahiers et Documents peuvent être consultés à la Bibliothèque du LAMSADE. Pour se les procurer, s'adresser au Secrétariat de Rédaction.

### "CAHIERS ET DOCUMENTS" FROM LAMSADE

*The LAMSADE series "Cahiers et Documents", published in French and in English, includes monographs and articles by members of the LAMSADE Research Group as well as papers on joint projects usually completed by visiting scholars in conjunction with members of the LAMSADE Group. Papers originally presented at conferences or colloquia always bear the name and date of the initial communication.*

*All manuscript submitted for publication in the "Cahiers et Documents" series are referred to an external examiner for evaluation and discussion with the author. Nevertheless, the authors assume full responsibility for all opinions expressed therein.*

*Articles appearing in the series may subsequently be submitted for publication to specialized journals distributed internationally.*

*The series is coordinated by an Editorial Board.*

*LAMSADE "Cahiers et Documents" can be consulted in the LAMSADE Library. Requests for back numbers should be addressed to the Editorial Secretary.*

### COMITÉ DE RÉDACTION (EDITORIAL BOARD)

Responsables de la publication (*Editors*) : Vangelis Paschos, Bernard Roy.

Comité de Rédaction (*Editorial Board*) : Cristina Bazgan, Marie-José Blin, Denis Bouyssou, Albert David, Marie-Hélène Hugonnard-Roche, Eric Jacquet-Lagrèze, Patrice Moreaux, Pierre Tolla, Alexis Tsoukiàs.

Secrétariat de Rédaction (*Editorial Secretary*) : Dominique François.

# LABORATOIRE D'ANALYSE ET MODÉLISATION DE SYSTÈMES POUR L'AIDE À LA DÉCISION (LAMSADE)

(Unité de Recherche Associée au CNRS UMR 7024)

Directeur : Vangelis PASCHOS

## PUBLICATIONS DISPONIBLES <sup>1 2</sup>

### CAHIERS

- N° 90 – A. LISSER, P. TOLLA : Variants of Karmarkar's algorithm (*mars 1989, 33 pages*).
- N° 91 – D. BOUYSSOU : Problèmes de construction de critères (*avril 1989, 32 pages*).
- N° 94 – D.K. DESPOTIS, D. YANNAKOPOULOS : Méthode d'estimation d'utilités additives concaves en programmation linéaire multiobjectifs (*septembre 1989, 26 pages*).
- N° 95 – B. ROY, R. SLOWINSKI : Criterion of distance between technical programming and socio-economic priority (*deuxième version révisée : mars 1990, 29 pages*).
- N° 97 – B. ROY : Science de la décision ou science de l'aide à la décision ? (*troisième version révisée : février 1992, 48 pages*).
- N° 98 – R. SLOWINSKI : Outranking-based interactive procedure for multiple objective programs (*avril 1990, 24 pages*).
- N° 99 – H. M'SILTI, P. TOLLA : An interactive multiobjective nonlinear procedure (*avril 1990, 31 pages*).
- N° 100 – J.M. MARTEL, K. ZARAS : Dominance stochastique en analyse multicritère face au risque (*novembre 1990, 32 pages*).
- N° 101 – D. BOUYSSOU, P. PERNY : Ranking methods for valued preference relations: A characterization of a method based on leaving and entering flows (*décembre 1990, 22 pages*).
- N° 102 – S. PINSON : A multi-expert architecture for credit risk assessment (*mars 1991, 41 pages*).
- N° 104 – J.M. MARTEL, B. AOUNI : Méthode multicritère de choix d'un emplacement : Le cas d'un aéroport dans le Nouveau Québec (*avril 1991, 45 pages*).
- N° 106 – B. ROY, D. BOUYSSOU : Decision-aid: an elementary introduction with emphasis on multiple criteria (*novembre 1991, 30 pages*).
- N° 107 – J. GONDZIO : An advanced implementation of Cholesky factorization for computing projections in interior point methods of large scale linear programming (*décembre 1991, 42 pages*).
- N° 108 – J. GONDZIO, D. TACHAT : The design and application of the IPMLO – A FORTRAN library for linear optimization with interior point methods (*janvier 1992, 38 pages*).
- N° 110 – R. SLOWINSKI : A generalization of the indiscernibility relation for rough sets analysis of quantitative information (*mai 1992, 34 pages*).

---

<sup>1</sup> Pour se les procurer, s'adresser au LAMSADE, Université Paris-Dauphine, Place du Maréchal De Lattre de Tassigny, 75775 Paris Cedex 16 (Bureau P 613 – Téléphone : 33 (0)1 44 05 40 89 – e.mail: [champ@lamsade.dauphine.fr](mailto:champ@lamsade.dauphine.fr)).

<sup>2</sup> Une liste exhaustive des publications peut être consultée sur le serveur web du LAMSADE : <http://www.lamsade.dauphine.fr>.

- N° 111 – V. MOUSSEAU : Are judgments about relative importance of criteria dependent or independent of the set of alternatives? An experimental approach (*mai 1992, 42 pages*).
- N° 112 – V. Th. PASCHOS, L. RENOTTE : Approximability preserving reductions for NP-complete problems (*janvier 1993, 37 pages*).
- N° 113 – H. M'SILTI, P. TOLLA : A new heuristic method for solving global optimization problem (*janvier 1993, 34 pages*).
- N° 114 – L. DUCKSTEIN, W. TREICHEL, S. EL MAGNOUNI : Multicriterion analysis of groundwater management alternatives (*janvier 1993, 40 pages*).
- N° 115 – A. JASZKIEWICZ, R. SLOWINSKI : The light beam search over a non-dominated set – an interactive procedure for multiple-objective analysis of linear and non-linear programs (*juin 1993, 29 pages*).
- N° 116 – M. DEMANGE, V.Th. PASCHOS : On an approximation measure founded on the links between optimization and polynomial approximation theory (*septembre 1993, 38 pages*).
- N° 117 – C.A. BANA e COSTA, J.C. VANSNICK : Sur la quantification des jugements de valeur : l'approche MACBETH (*septembre 1993, 47 pages*).
- N° 118 – O. CORDEIRO-NETTO, E. PARENT, L. DUCKSTEIN : Evaluation of two MCDM techniques for staging the multicriterion design of long-term water supply in Southern France (*septembre 1993, 35 pages*).
- N° 119 – A. SCHAAL, H. M'SILTI, P. TOLLA : Modélisation et système interactif de planification de stocks liés (*septembre 1993, 25 pages*).
- N° 120 – J.C. POMEROL, B. ROY, C. ROSENTHAL-SABROUX, A. SAAD : An "intelligent" DSS for the multicriteria evaluation of railway timetables (*octobre 1993, 33 pages*).
- N° 121 – V.Th. PASCHOS : A relation between the approximated versions of minimum set covering, minimum vertex covering and maximum independent set (*octobre 1993, 21 pages*).
- N° 122 – V. MOUSSEAU : Compensatoriness of preferences in matching and choice (*janvier 1994, 27 pages*).
- N° 123 – A. TSOUKIAS, Ph. VINCKE : A new axiomatic foundation of the partial comparability theory (*février 1994, 38 pages*).
- N° 124 – B. ROY, H. HASSAN : Intérêt des méthodes multicritères pour l'aide à la décision concernant les investissements en matière d'infrastructures de transports (*deuxième version révisée : octobre 1994, 25 pages*).
- N° 125 – J. BLOT, W. FERNANDEZ de la VEGA, V. Th. PASCHOS, R. SAAD : Average case analysis of greedy algorithms for optimisation problems on set systems (*octobre 1994, 40 pages*).
- N° 126 – V. MOUSSEAU : Eliciting information concerning the relative importance of criteria (*janvier 1995, 37 pages*).
- N° 127 – R. FAIZ, M. GONDRAN : Modélisation formelle de textes exprimant des concepts temporels : Cas des textes juridiques (*juin 1995, 42 pages*).
- N° 128 – M. DEMANGE, V. PASCHOS : Exact and approximation results on maximum independent set and minimum vertex covering – Graphs with great stability number (*juin 1995, 38 pages*).
- N° 129 – A. MARSON, A. TSOUKIÀS : Venice safeguard: the decision process and how to provide decision aid (*juin 1995, 39 pages*).
- N° 130 – B. ROY, D. VANDERPOOTEN : The European School of MCDA: Emergence, basic features and current works (*juin 1995, 33 pages*).
- N° 131 – B. ROY, V. MOUSSEAU : A theoretical framework for analysing the notion of relative importance of criteria (*juin 1995, 36 pages*).
- N° 132 – C. ZOPOUNIDIS, A.I. DIMITRAS, L. LE RUDULIER : A multicriteria approach for the analysis and prediction of business failure in Greece (*novembre 1995, 28 pages*).
- N° 133 – C. HAUCHE, C. ROSENTHAL-SABROUX : KBS life-cycle and validation (*janvier 1996, 26 pages*).
- N° 134 – P. JOURNÉE, P. PERNY, D. VANDERPOOTEN : Une méthodologie multicritère pour la vérification des accords sur le contrôle des armements en Europe (*février 1996, 37 pages*).

- N° 135 – W. FERNANDEZ de la VEGA, V.Th. PASCHOS, A.N. STAFYLOPATIS : Average-case complexity for the execution of recursive definitions on relational databases (*février 1996, 25 pages*).
- N° 136 – V. GABREL, D. VANDERPOOTEN : Generation and selection of efficient paths in a multiple criteria graph: the case of daily planning the shots taken by a satellite with an interactive procedure (*février 1996, 22 pages*).
- N° 137 – V.Th. PASCHOS, M. DEMANGE : Relative hardness of constructive–non-constructive approximation: the case of maximum independent set problem (*avril 1996, 29 pages*).
- N° 138 – F. BALBO, P. MORAÏTIS, S. PINSON : AMCA : Approche Multicritère pour la Coopération entre Agents (*juin 1996, 29 pages*).
- N° 139 – A. TSOUKIÀS : A first order, four-valued weakly paraconsistent logic (*juin 1996, 36 pages*).
- N° 140 – V. MOUSSEAU, R. SLOWINSKI : Inferring an ELECTRE TRI model from assignment examples (*juin 1996, 30 pages*).
- N° 141 – R. MIENKO, J. STEFANOWSKI, K. TOUMI, D. VANDERPOOTEN : Discovery-oriented induction of decision rules (*septembre 1996, 29 pages*).
- N° 142 – A. PARTOUCHE : Comparaison de deux approches sur un problème de planification d'horaires : la construction de cycles de travail (*octobre 1996, 33 pages*).
- N° 143 – A.B. FERHAT, A. JASZKIEWICZ : Trichotomy based procedure for multiple criteria choice problems (*décembre 1996, 26 pages*).
- N° 144 – B. ROY : Une lacune en RO-AD – Les conclusions robustes (*mai 1997, 32 pages*).
- N° 145 – A. SCHAAL, H. M'SILTI, P. TOLLA : Une approche hybride de résolution de problèmes linéaires généraux en nombres entiers (*mai 1997, 26 pages*).
- N° 146 – E. JACQUET-LAGRÈZE, D. MONTAUT, A. PARTOUCHE : The shift scheduling problem: Different formulations and solution methods (*juillet 1997, 30 pages*).
- N° 147 – H. M'SILTI, P. TOLLA, A. SCHAAL : Comparison of simulated annealing and genetic algorithm within a hybrid method for general integer problems (*juillet 1997, 28 pages*).
- N° 148 – D. MAILLES, J. KADAoui-ABBASSI : Résolution analytique de file d'attente avec arrivées générées par parallélisation (*septembre 1997, 26 pages*).
- N° 149 – J. FIGUEIRA, M.E. CAPTIVO, J. CLIMACO : Sur le problème des chemins bi-critères : Une approche interactive a posteriori (*novembre 1997, 42 pages*).
- N° 150 – V. MOUSSEAU, J. FIGUEIRA, J.Ph. NAUX : Using assignment examples to infer weights for ELECTRE TRI method: Some experimental results (*décembre 1997, 40 pages*).
- N° 151 – A. PARTOUCHE : A hybrid method for the general rostering problem with a mixed and homogeneous workforce (*décembre 1997, 35 pages*).
- N° 152 – S. GRECO, B. MATARAZZO, R. SLOWINSKI, A. TSOUKIÀS : Exploitation of a rough approximation of the outranking relation (*décembre 1997, 32 pages*).
- N° 153 – Ph. FORTEMPS, J. TEGHEM : Multi-objective fuzzy linear program: the MOFAC method (*janvier 1998, 26 pages*).
- N° 154 – A. PARTOUCHE, D. VANDERPOOTEN : Une classe polynomiale de problèmes de construction de vacances (*février 1998, 32 pages*).
- N° 155 – M.J. BLIN, A. TSOUKIÀS : Multicriteria methodology contribution to the software quality evaluation (*mai 1998, 37 pages*).
- N° 156 – I. STAMELOS, A. TSOUKIÀS : Software evaluation problem situations (*septembre 1998, 34 pages*).
- N° 157 – S. AKNINE, S. PINSON : Conception orientée agent du travail coopératif (*octobre 1998, 35 pages*).
- N° 158 – C. ARONDEL, Ph. GIRARDIN : Sorting cropping systems on the basis of their impact on groundwater quality (*novembre 1998, 38 pages*).

- N° 159 – L. ALFANDARI : The greedy approach for the crew pairing problem: some cases of polynomial subproblems (janvier 1999, 19 pages).
- N° 160 – V. PASCHOS : Approximation of weighted hereditary induced-subgraph maximization problems (janvier 1999, 18 pages).
- N° 161 – A. LIKAS, V. PASCHOS : A new greedy-solution representation for the traveling salesman problem (juin 1999, 18 pages).
- N° 162 – L. ALFANDARI, V. PASCHOS : Master-slave strategy and polynomial approximation (juin 1999, 26 pages).
- N° 163 – M. DEMANGE, V. PASCHOS : Maximum-weight independent set is as "well-approximated" as the unweighted one (juin 1999, 29 pages).
- N° 164 – M.J. BLIN, F. FABRET : A coordination mechanism to prevent the violation of distributed constraints (septembre 1999, 37 pages).
- N° 165 – A. NGO THE, A. TSOUKIÀS, Ph. VINCKE : PQI interval orders (novembre 1999, 35 pages).
- N° 166 – C. MURAT, V. PASCHOS : A priori optimization for the probabilistic maximum independent set problem (janvier 2000, 34 pages).
- N° 167 – B. ROY : Réflexion sur le thème Quête de l'optimum et aide à la décision (février 2000, 32 pages).
- N° 168 – A. NGO THE, V. MOUSSEAU : Using assignment examples to infer category limits for the ELECTRE TRI method (mai 2000, 35 pages).
- N° 169 – B. ROY : Optimisation lexicographique d'une séquence de dysfonctionnements non nécessairement quantitatifs (mai 2000, 27 pages).
- N° 170 – C. MURAT, V. PASCHOS : The probabilistic minimum vertex covering problem (juin 2000, 24 pages).
- N° 171 – M. DEMANGE, C. MURAT, V. PASCHOS, S. TOULOUSE : Un nouveau modèle pour la construction de réseau de télécommunication à coût minimum (juin 2000, 32 pages).
- N° 172 – J. MONNOT, V. PASCHOS, S. TOULOUSE : Differential approximation results for traveling salesman problem (juin 2000, 23 pages).
- N° 173 – M. DEMANGE, V. PASCHOS : Approximation polynomiale : notions de difficulté et leur impact pour étudier la structure de NP (juin 2000, 28 pages).
- N° 174 – L. DIAS, V. MOUSSEAU, J. FIGUEIRA, J. CLÍMACO : An aggregation/disaggregation approach to obtain robust conclusions with ELECTRE TRI (juin 2000, 35 pages).
- N° 175 – C.A. BANA E COSTA, J.C. VANSNICK : Une critique de base de l'approche de Saaty : Mise en question de la méthode de la valeur propre maximale (février 2001, 23 pages).
- N° 176 – J. MONNOT : The maximum Hamiltonian path problem with specified endpoint(s) (mars 2001, 23 pages).
- N° 177 – M. DEMANGE, V. PASCHOS : Towards a general formal framework for polynomial approximation (mars 2001, 49 pages).
- N° 178 – J. CLÍMACO, L. DIAS, J. FIGUEIRA, C. GOMES da SILVA, V. MOUSSEAU : Resolving inconsistencies among constraints on the parameters of an MCDA model (avril 2001, 24 pages).
- N° 179 – M.J. BLIN, F. FABRET : A framework integrating collaboration and coordination (avril 2001, 28 pages).
- N° 180 – V. PASCHOS, C. BAZGAN : Differential approximation for satisfiability and related problems (avril 2001, 19 pages).
- N° 181 – M.E. CAPTIVO, J. CLIMACO, J. FIGUEIRA, E. MARTINS, J.L. SANTOS : Solving multiple criteria  $\{0, 1\}$ -knapsack problems using a labeling algorithm (mai 2001, 33 pages).
- N° 182 – D. de WERRA, M. DEMANGE, V. PASCHOS, J. MONNOT : Time slot scheduling of compatible jobs (septembre 2001, 37 pages).
- N° 183 – M. DEMANGE, V. PASCHOS : On-line vertex-covering (septembre 2001, 36 pages).
- N° 184 – A. NGO THE, A. TSOUKIÀS : Numerical representation of PQI interval orders (septembre 2001, 38 pages).

- N° 185 – K. SRINIVASA RAJU, L. DUCKSTEIN, C. ARONDEL : Multicriteria analysis for sustainable water resources planning: A case study in Spain (*décembre 2001, 33 pages*).
- N° 186 – K. SRINIVASA RAJU, L. DUCKSTEIN : Multiobjective fuzzy linear programming for sustainable irrigation planning: An Indian case study (*décembre 2001, 25 pages*).
- N° 187 – M. DEMANGE, V. PASCHOS : Polynomial approximation and graph-coloring (*janvier 2002, 49 pages*).
- N° 188 – C. GOMES DA SILVA, J. FIGUEIRA, J. LISBOA, S. BARMAN : An aggregate production planning model based on multiple criteria mixed integer linear programming (*janvier 2002, 31 pages*).
- N° 189 – V. MOUSSEAU, L. DIAS : Valued outranking relations in ELECTRE providing manageable disaggregation procedures (*janvier 2002, 29 pages*).
- N° 190 – S. DAMART, V. MOUSSEAU, I. SOMMERLATT : Du mode d'implication d'acteurs multiples dans le cadre de l'utilisation d'un modèle d'affectation multicritère : Analyse au regard d'une application à la tarification des transports publics (*février 2002, 36 pages*).
- N° 191 – J. FIGUEIRA : On the integer bi-criteria network flow problem: A branch-and-bound approach (*février 2002, 38 pages*).
- N° 192 – M. DEMANGE, V. PASCHOS : Réflexion autour de nouvelles notions pour l'analyse des algorithmes d'approximation (*mars 2002, 69 pages*).
- N° 193 – F. DELLA CROCE, A. GROSSO, V. Th. PASCHOS : Lower bounds on the approximation ratios of leading heuristics for the single machine total tardiness problem (*avril 2002, 18 pages*).
- N° 194 – B. ROY, R. SLOWINSKI : Multi-criteria assignment of tasks to heterogeneous processing units with incompatibility and capacity constraints (*mai 2002, 51 pages*).
- N° 195 – N.P. DELLAERT, J. JEUNET : Demand forecast accuracy and performance of inventory policies under multi-level rolling schedule environments (*juin 2002, 34 pages*).

---

## DOCUMENTS

- N° 50 – M. DEZA, M. LAURENT : Facets of the complete cut cone (*avril 1989, 57 pages*).
- N° 51 – B. ROY : Decision-aid and decision-making (*mai 1989, 30 pages*).
- N° 53 – B. ROY : The outranking approach and the foundations of ELECTRE methods (*juillet 1989, 40 pages*).
- N° 55 – G. BAROUCH : Les conflits au risque des théories de Palo Alto : Le cas de l'aménagement de la Cisse (*septembre 1989, 82 pages*).
- N° 56 – E. KONARZEWSKA : BIPOLAR: Multiple criteria decision aid using BIPOLAR reference system (*septembre 1989, 60 pages*).
- N° 57 – M. DEZA, M. LAURENT : Facets for the complete cut cone II: Clique-Web inequalities (*octobre 1989, 54 pages*).
- N° 61 – A. DAVID, J.L. GIORDANO : Rôle des représentations graphiques et analytiques simples dans le développement de la coopération Marketing/Bureau d'Etudes chez un grand constructeur automobile (*avril 1990, 53 pages*).
- N° 62 – Ph. VINCKE : Exploitation d'une relation non évaluée dans une problématique de rangement complet (*janvier 1991, 47 pages*).
- N° 65 – B. ROY, R. SLOWINSKI, W. TREICHEL : Multi-criteria programming of rural water supply systems (*mai 1991, 54 pages*).
- N° 73 – G.R. D'AVIGNON : Démarche d'aide à la décision d'un plan directeur : Le cas des palais de justice (*mars 1992, 65 pages*).
- N° 74 – W. YU : ELECTRE TRI – Aspects méthodologiques et manuel d'utilisation (*avril 1992, 100 pages*).

- N° 78 – Ph. VAN ASBROECK, D. CHAMP-BRUNET : Un thésaurus français-anglais de termes d'aide multicritère à la décision (mars 1993) (*deuxième version révisée : juillet 1994, 85 pages*).
- N° 80 – C.A. BANA e COSTA : Les problématiques dans le cadre de l'activité d'aide à la décision (*septembre 1993, 68 pages*).
- N° 81 – C.A. BANA e COSTA, Ph. VINCKE : Comment prendre en compte l'imprécision des taux de substitution dans un modèle additif d'agrégation des préférences (*novembre 1993, 59 pages*).
- N° 82 – V. GABREL : La planification à moyen terme des prises de vue à réaliser par un satellite défilant d'observation de la terre : modélisation et solutions algorithmiques (*janvier 1994, 42 pages*).
- N° 83 – L. DUCKSTEIN, G. EDER, H.P. NACHTNEBEL : Ranking water resources alternatives and criteria by multicriterion Q-analysis: An Austrian case study (*juin 1994, 49 pages*).
- N° 84 – C.J. MAESTRE : A propos des relations entre culture et gestion – Une illustration opérationnelle : Gestion par produit, gestion par processus (*juin 1994, 73 pages*).
- N° 85 – D. VALLÉE, P. ZIELNIEWICZ : ELECTRE III-IV, version 3.x – Aspects méthodologiques (tome 1) (*juillet 1994, 67 pages*).
- N° 86 – Ph. VAN ASBROECK, D. CHAMP-BRUNET : An English-French thesaurus of multicriteria decision aid indexing terms (*octobre 1994, 85 pages*).
- N° 87 – J.D. LÉNARD : Approche multicritère de la gestion des approvisionnements – Aide à la décision et pilotage global d'un ensemble d'articles (*mai 1995, 79 pages*).
- N° 89 – P. MORAITIS : Intelligence artificielle distribuée et systèmes multi-agents : un état de l'art (*novembre 1995, 75 pages*).
- N° 90 – S. GANÇARSKI, M. ZAMFIROIU : Le module ZGraph : un gestionnaire de vues groupées sur un graphe pour le SGBD  $O_2$  (*décembre 1995, 35 pages*).
- N° 91 – Numéro Spécial Escargot d'Or 1996 (*février 1996, 38 pages*).
- N° 92 – V.Th. PASCHOS, P. GRISONI, M. DEMANGE : Approximation algorithms for some combinatorial optimization problems (*mars 1996, 30 pages*).
- N° 93 – Ph. VALLIN : Détermination d'une période économique robuste dans le cadre du modèle de Wilson (*mai 1996, 31 pages*).
- N° 94 – J. FIGUEIRA, H. M'SILTI, P. TOLLA : Application d'un algorithme de sous-gradient pour explorer le voisinage d'un point satisfaisant dans le cadre des problèmes de flot multicritères (*juin 1996, 61 pages*).
- N° 95 – M. KOSTKOWSKI, R. SLOWINSKI : UTA+ application (v 1.20) – User's manual (*juillet 1996, 32 pages*).
- N° 96 – S. HADDAD, P. MOREAUX : Aggregation and decomposition for performance evaluation of synchronous product of high level Petri nets (*septembre 1996, 64 pages*).
- N° 97 – Y. SISKOS, N.F. MATSATSINIS, G. BAOURAKIS : Multicriteria analysis in agricultural marketing – The case of French olive oil market (*décembre 1996, 32 pages*).
- N° 99 – J. FIGUEIRA, H. M'SILTI, P. TOLLA : Recent developments in the multi-criteria network flow problems (*février 1997, 38 pages*).
- N° 100 – Numéro Spécial Escargot d'Or 1997 (*mai 1997, 37 pages*).
- N° 101 – F. BEN ABDELAZIZ, P. LANG, R. NADEAU : Notions d'efficacité en programmation linéaire multiobjectif stochastique (*mai 1997, 40 pages*).
- N° 102 – S. HADDAD, P. MOREAUX : Aggregation and decomposition for performance evaluation of asynchronous product of high level Petri nets (*mai 1997, 51 pages*).
- N° 103 – J. PEREIRA : Flexibilité dans les systèmes de production : Une approche relationnelle et dynamique (*septembre 1997, 31 pages*).
- N° 104 – B. ROY : L'aide à la décision aujourd'hui : Que devrait-on en attendre ? (*novembre 1997, 67 pages*).
- N° 105 – A. PAPAYANNAKIS : Analyse spatiale et modélisation statistique du trafic du réseau autobus de la banlieue parisienne (*janvier 1998, 77 pages*).

- N° 106 – J.M. MARTEL, A. GUITOUNI, I. ABI-ZEID, M. BÉLANGER, Z. CHRAYGANE, K. ZARAS : Construction d'une famille de critères dans le cadre du projet CESA (mars 1998, 45 pages).
- N° 107 – Rapport Scientifique (1995-1997) (juin 1998, 292 pages).
- N° 107 bis – Extrait du Rapport Scientifique (1995-1997) (juillet 1998, 125 pages).
- N° 108 – Numéro Spécial Escargot d'Or 1998 (juin 1998, 35 pages).
- N° 109 – B. ROY, J. FIGUEIRA : Détermination des poids des critères dans les méthodes de type ELECTRE avec la technique de Simos révisée (juillet 1998, 45 pages).
- N° 110 – M.P. HUGET, S. PINSON : Une typologie des modèles d'agents (janvier 1999, 41 pages).
- N° 111 – V. MOUSSEAU, R. SLOWINSKI, P. ZIELNIEWICZ : ELECTRE TRI 2.0a – Methodological guide and user's manual (février 1999, 78 pages).
- N° 112 – V. MOUSSEAU, B. ROY, I. SOMMERLATT : Elaboration d'un outil d'aide à la décision en vue de l'évolution de la tarification des transports publics en Ile-de-France (mai 1999, 55 pages).
- N° 113 – E. PASCHETTA, A. TSOUKIÀS : A real world MCDA application: evaluating software (juin 1999, 55 pages).
- N° 114 – Numéro spécial Escargot d'Or 1999 (juin 1999, 34 pages).
- N° 115 – L. VERCOUTER, N. FRANCHESQUIN, J.P. TREUIL, S. PINSON : Simulation multi-agent des processus de négociation en agronomie : Un exemple de gestion locale sous contrainte collective (juillet 1999, 49 pages).
- N° 116 – R. AZIBI, D. VANDERPOOTEN : L'agrégation de conséquences dispersées pour la construction de critères : L'étude d'aménagement Loire moyenne (juillet 1999, 33 pages).
- N° 117 – A. TSOUKIÀS : Sur la généralisation des concepts de concordance et de discordance en aide multicritère à la décision (novembre 1999, 87 pages).
- N° 118 – A. AÏT YOUNES, R. AZIBI, B. ROY : ELECTRE IS – Manuel d'utilisation (Tome 1) (mars 2000, 41 pages).
- N° 118 bis – A. AÏT YOUNES, R. AZIBI, B. ROY : ELECTRE IS - Manuel d'utilisation (Tome 2) (juin 2000, 73 pages).
- N° 119 – Rapport Scientifique (1996-1999) (mai 2000, 288 pages).
- N° 120 – Numéro Spécial Escargot d'Or 2000 (juin 2000, 33 pages).
- N° 121 – V. PASCHOS, C. MURAT, V. GABREL : La recherche opérationnelle pour la planification de prises de vue par satellite (septembre 2001, 41 pages).
- N° 122 – A. TSOUKIÀS, A. PAPAYANNAKIS : A real case study on transportation scenario comparison (novembre 2001, 35 pages).
- N° 123 – ESCARGOT D'OR 2001 (décembre 2001, 27 pages).
- N° 124 – B. ROY : Présentation et interprétation de la méthode ELECTRE TRI pour affecter des zones dans des catégories de risque (mars 2001, 25 pages).
- N° 125 – S. DAMART, A. DAVID, B. ROY : Comment organiser et structurer le processus de décision pour favoriser la concertation entre parties prenantes et accroître la légitimité de la décision (juin 2002, 73 pages).
- N° 126 – Rapport Scientifique 2000-2002 (juin 2002, 156 pages).
- N° 127 – L. DIAS, C. GOMES da SILVA, V. MOUSSEAU : IRIS – Interactive Robustness analysis and parameters' Inference for multicriteria Sorting problems (juin 2002, 55 pages).

# Demand forecast accuracy and performance of inventory policies under multi-level rolling schedule environments\*

N.P. Dellaert<sup>†</sup>      J. Jeunet<sup>‡</sup>, <sup>§</sup>

January 8, 2003

**Résumé.** Cet article étudie la performance de plusieurs règles d'approvisionnement pour les systèmes MRP lorsque l'horizon de planification est glissant et la demande incertaine. L'étude est réalisée au moyen de simulations numériques extensives et montre qu'il est toujours opportun de réduire l'amplitude des erreurs de prévision. Bien que l'introduction de l'incertitude elle-même soit un facteur de détérioration des coûts plus déterminant que le niveau de cette incertitude (mesuré par l'ampleur des erreurs de prévision), nous montrons que les techniques d'approvisionnement continuent d'afficher des performances différentes les unes des autres à mesure que le niveau d'erreur s'accroît. Ceci contredit des résultats plus anciens selon lesquels toutes les techniques se valent et sont identiquement inefficaces dès lors que la demande n'est plus certaine. Cet article fournit également une description claire de la façon dont la procédure d'horizon glissant s'applique aux structures générales de produits finis (qui autorisent l'existence de composants à multiplicité d'utilisation), aux demandes aléatoires et délais d'approvisionnement positifs.

**Mots-clé:** MRP (planification des besoins en composant), stocks multi-échelon, techniques d'approvisionnement, horizon glissant, erreurs de prévision.

---

\*This research was done while Jeunet was a visiting scholar at the International Institute of Informatics, PO Box 2606, 6401 DC Heerlen, The Netherlands. Support from this institute is gratefully acknowledged.

<sup>†</sup>Department of Operations Management, Eindhoven University of Technology, P.O. Box 513, 5600 MB Eindhoven, The Netherlands.

<sup>‡</sup>LAMSADE, CNRS, Université Paris Dauphine, Place de Lattre de Tassigny, 75775 Paris Cedex 16, France.

<sup>§</sup>Corresponding author. Tel.: +33-1-44-05-41-83; fax: +33-1-44-05-40-91.  
E-mail address: jeunet@lamsade.dauphine.fr.

**Abstract.** Our incentive is to study the behaviour of lot-sizing rules in a multi-level context when forecast demand is subject to changes within the forecast window. To our knowledge, only Bookbinder and Heath (1988) proposed a lot-sizing study in a multi-echelon rolling schedule with probabilistic demands. But their simulation study was limited to two arborescent structures with 6 nodes. By means of an extensive simulation study we show that it is always worth decreasing the error magnitude. This should encourage companies to develop Electronic Data Interchange to ameliorate demand forecast.

Although the presence or absence of forecast errors matters more than the error level, we show that lot-sizing rules exhibit significant differences in their behaviour as the level of error is augmented. This paper also provides a clear description of the rolling procedure when applied to general product structures, probabilistic demand within the forecast window and positive lead times.

**Keywords:** Material Requirements Planning, multi-level lot-sizing, rolling horizon, forecast errors.

# 1 Introduction

In the last two decades information technologies have been increasingly adopted in supply chains. In the mid 80's bar code usage spread to other sectors than food sector as its force was to facilitate instantaneous data collection at the point of sale. Later on Electronic Data Interchange (EDI) has been developed to facilitate rapid transmission of large amounts of information between retailers and suppliers. Companies along the supply chain undertake to share sales information or consumer specific queries to increase the accuracy of forecasting and respond quickly to customers' evolving needs.

Providing manufacturers with comprehensive and accurate data relating to the final customer demand enables sharper demand forecasts. Still unknown is the extent to which forecast errors may be reduced through the use of precise and up-to-date sales information. Forecast errors are often in the range of 30-70% and may be reduced to 10-20% if the company implements voluntarist policies to increase the accuracy of forecasting. With EDI, one can expect an additional decrease of errors.

From an inventory management perspective, the question is whether or not it is worth asking for ever more accurate forecasts if forecast errors of even small magnitude have a tremendous impact on the cost effectiveness of lot-sizing techniques in Material Requirements Planning (MRP) systems. In a past simulation study De Bodt and Van Wassenhove (1983) have shown that (even small) forecast errors do not only increase the lot sizing costs in a dramatic way but also tend to homogenize the cost performance of the various lot sizing techniques: they tend to perform equally bad. The study was conducted in single-level MRP on a rolling horizon and forecast errors were injected within the forecast window.

The purpose of this paper is to investigate the impact of forecast errors on the performance of several lot-sizing techniques in a multi-level environment on a rolling horizon basis. Our objective is to establish whether or not De Bodt and Van Wassenhove's conclusions are still valid in multi-level MRP systems. Previous research dealing with multi-level problems under rolling conditions rarely considers component commonality and always assumes zero lead times. However, positive lead times and general product structures make the application of the rolling procedure substantially harder and raise infeasibility problems even when demand is known with certainty within the forecast window. The present study offers a detailed presentation of the procedure through illustrations followed by a formal description of the main steps of the procedure.

The paper is organized as follows. Section 2 is dedicated to a literature overview on inventory policies under rolling conditions. Section 3 provides a detailed description of the multi-level lot-sizing problem in a rolling-schedule environment. We discuss the impact of positive lead times and component commonality on the feasibility of production schedules. Section 4 presents the experimental framework designed to assess the impact of forecast errors on the cost effectiveness of various lot-sizing techniques. Section 5 comments on the results of this study. Major conclusions are drawn in Section 6.

## 2 Literature overview

Research on lot-sizing decisions in MRP systems has essentially focused on the development of single-level and multi-level heuristics for solving problems with deterministic demand over finite horizons. However, this static framework ignores the common practice of using a rolling schedule. This approach consists in applying a lot sizing rule over a limited number of future periods, the forecast window, for which demand is known either deterministically or probabilistically. In the latter case, in each period of the window, the actual demand results from the addition of the forecast and an error term. Usually, only the first lot size is implemented and the horizon rolls forward the next decision period. New demands are then revealed, the model is updated and the decision of the first period is again enacted. This process is repeated until the final period of the planning horizon is reached.

Optimal methods for single and multi-level problems with a fixed horizon do not necessarily provide an optimal solution in a rolling-schedule environment. On the contrary, several single-level studies have shown that it might be worth using computationally simple heuristics especially when the forecast window is short. Blackburn and Millen (1980) show that the Wagner-Whitin algorithm (1958) can be outperformed by the Silver-Meal heuristic (1973), notably when the number of known future demand is limited. De Bodt, Van Wassenhove and Gelders (1982), while analyzing the effects of forecast errors within the forecast window on cost performance of several single-level models, show that it might be worth using the ‘simplistic’ Economic Order Quantity. Aucamp (1985) provides a comparative study of the performance of several lot-sizing rules, also used in combination with a look ahead/look back strategy which consists in either increasing or decreasing the lot sizes generated by any rule until no cost improvement can be found. The author experimentally observes the poor performance of the Wagner-Whitin algorithm and the consistently high performance of Least Total Cost and Silver-Meal. Bookbinder and Hn’g (1986) show that a modified version of the Silver-Meal heuristic (to deal with sharply decreasing demand patterns) and a heuristic by Bookbinder and Tan (1985)—which combines the Silver-Meal and the Least Unit Cost criteria—yield the best results in most situations. However, the Wagner-Whitin algorithm is the best method for large forecast windows and any demand pattern other than constant demand.

Similar conclusions have been drawn based upon multi-level studies under rolling schedule conditions. Blackburn and Millen (1982) evaluate the cost performance of the Silver-Meal heuristic and the Wagner-Whitin algorithm, also used in combination with several cost modifications designed to account for interdependencies among stages in assembly structures. Simulation results indicate that in many situations, the Silver-Meal heuristic outperforms the Wagner-Whitin algorithm. Gupta, Keung and Gupta (1992) show that the Silver-Meal heuristic provides lower costs than the Wagner-Whitin algorithm in most cases. In a recent study Simpson (1999) finds that the Silver-Meal heuristic when combined to one of the cost modifications of Blackburn and Millen (1982) provides the lowest cost schedules under short forecast windows. For larger windows however, the Wagner-Whitin algorithm yields better results. This conclusion was already drawn in earlier single-level studies (Blackburn and Millen, 1980, Bookbinder and Hn’g, 1986).

Past results make clear that forecast window length impacts cost performance, mostly because length dramatically affects the first optimal lot size, a phenomenon

called ‘the horizon effect’. An obvious strategy to overcome this difficulty is to lengthen the window  $W$  so as to stabilize the first lot size. In practice, future demand data or accurate forecast are available only for a limited number of future periods. The idea is therefore to use available demand data through  $W$  and forecast demand beyond  $W$ . This strategy is only useful when combined to the Wagner-Whitin algorithm as myopic methods ignore additional information and provide identical schedules, be the horizon extended or not. Implementing such a strategy raises the question of when to stop extending the horizon. Extension is naturally discontinued as soon as a planning horizon is obtained. This occurs when the first lot size remains identical in the optimal solution to  $t$ -period problems, with  $t$  beginning at the next to last regeneration point (period in which ending inventory equals zero) found in the optimal solution to the  $W$ -period problem and  $t$  ending at  $W - 1$ .

Horizon extension approaches have been widely implemented in single-level problems. Carlson, Beckman and Kropp (1982) investigate the impact of extending the horizon on the cost performance of the Wagner-Whitin algorithm and conclude that in some situations the more information the better. Kropp, Carlson and Beckman (1983) propose and test 4 stopping conditions. They conclude that simpler stopping rules perform better. More recently, Russel and Urban (1993) show that, with horizon extension, the Wagner-Whitin algorithm beats the Silver-Meal heuristic for moderate to large window values. For small  $W$ -values horizon extension does not help the Wagner-Whitin algorithm to seek improvements over the Silver-Meal heuristic. Refinement of the horizon extension principle has been brought by Stadtler (2000) who proposes a cost modification to be used with the Wagner-Whitin algorithm so as to account for the fictitious aspect of demand data beyond the forecast window. The idea is to assign to a lot size a cost which is proportional to the periods the order covers falling within the forecast window. Stadtler expects this modification to favour more orders in later periods. The resultant look-beyond model yields the best overall results when compared to the Silver-Meal technique and the heuristic of Groff (1979).

As already mentioned, the first optimal lot size stabilizes when a planning horizon is found. Chand (1982) has designed a simple decision rule to select the first lot size whenever a planning horizon is not found. The rule consists in choosing the first lot size with a minimum cost per period. The set of first lot sizes is provided by solving optimally all  $t$ -period problems, with  $t = 1, \dots, W$ . The computational study indicates that the modified algorithm exhibits a better behaviour than the Wagner-Whitin algorithm and the Silver-Meal heuristic. Later on, Chand (1983) has provided an adaptation of his algorithm to serial systems. Chand is therefore the first author to design a rolling procedure for multi-stage problems even if it is restricted to the very specific serial case.

Despite this abundant relevant literature on the rolling-schedule problem, there is a paucity of research examining multi-level instances with general product structures and positive lead times. Indeed, existing multi-level studies have been restricted to the case of small assembly structures ranging from 5 items to a maximum number of 16 items with zero lead times. The only rolling procedure available in a multi-level context is even confined to the very specific case of serial systems (Chand, 1983). However, common industrial settings often involve large-sized product structures with numerous common parts. Furthermore, the zero lead time assumption is hardly realistic and more restrictive than it seems at first sight. Indeed, implementing lot

sizing decisions on a rolling basis becomes much more complex in this context (i.e. positive lead time and general structures) as lot-sizing methods may provide infeasible schedules due to a lack of component availability.

### 3 Problem description

#### 3.1 Notation and definition

It is common to represent product structures as directed acyclic graphs (see Bookbinder and Koch, 1990, for example). In such a graph each node corresponds to an item and each edge  $(i, j)$  between node  $i$  and node  $j$  indicates that item  $i$  is directly required to assemble item  $j$ . Node  $i$  (equivalently item  $i$ ) is fully defined by  $\Gamma^{-1}(i)$  and  $\Gamma(i)$ , its sets of immediate predecessors and successors. The set of ancestors—immediate or non-immediate predecessors—of item  $i$  is denoted by  $\hat{\Gamma}^{-1}(i)$ . Product structures may be categorized in terms of their complexity index,  $C$ , as defined by Kimms (1997). Recall products are numbered in topological order by the integers  $1, \dots, P$  and let  $P(k)$  be the number of products at level  $k$ , with  $k = 0, \dots, K$  ( $K + 1$  is the depth of the structure). The total number of items obviously equals  $\sum_{k=0}^K P(k)$ , which by definition is also  $P$ . The most complex—in the sense of having the largest number of product interdependencies—structure is obtained when each item enters the composition of all the items located at higher levels in the product structure. By contrast, the simplest structure obtains when each item enters the composition of exactly one item belonging to a higher level. Kimms (1997) defines the complexity of a product structure as

$$C = \frac{A - A_{\min}}{A_{\max} - A_{\min}} \quad (1)$$

where  $A = \sum_{i=1}^P |\Gamma(i)|$  is the actual number of arcs in the structure. There is of course a minimal number of arcs such as the product structure is connected, which we denote  $A_{\min}$  and is equal to  $P - P(0)$ . Conversely there is a maximum number of arcs denoted  $A_{\max}$  that the graph can contain with  $A_{\max} = \sum_{k=0}^{K-1} \{P(k) \cdot \sum_{j=k+1}^K P(j)\}$ . Structures for which the number of arcs equals the minimum number of arcs ( $A = A_{\min}$ ) are necessarily assembly structures with  $C = 0$  whereas structures such as  $A = A_{\max}$  satisfy  $C = 1$ . The  $C$ -index is therefore bounded from below and above, whereas the traditional index of Collier (1981) is not.

Let  $L_i$  be the cumulative lead time of item  $i$  and  $l_i$  its own lead time (time required to produce or assemble item  $i$ ). We have

$$L_i = \max_{j \in \Gamma^{-1}(i)} (L_j + l_j), \quad (2)$$

with  $L_i = 0$  for all  $i$  with no predecessor. As decision periods are the periods in which we order and not the delivery periods, lead time  $l_i$  of item  $i$  itself is not included in the definition of  $L_i$ .

Let  $W$  be the forecast window length and  $T$  the problem horizon length, with  $W \leq T$ . For each decision period  $t$ , lot-sizing rules are applied on time interval  $R = \{t, \dots, \min(t + W - 1, T)\}$ , with  $t = 1, \dots, T$  and only the first lot size (that of period  $t$ ) is executed. Within interval  $R$ , demand for end items is either known

with certainty or probabilistically. In the latter, demand forecast is subject to error (note the word ‘forecast’ is not used when there is no error). The interval on which lot-sizing rules are applied may be extended to  $E$  periods, to increase their efficiency. Interval  $R$  becomes  $R = \{t, \dots, t+W-1, \dots, \min(t+E-1, T)\}$ . Demand in periods  $t+W, \dots, t+E$  may be generated with the same pattern as the one utilized in periods  $t+1, \dots, t+W-1$ . This demand is always fictitious.

Gross requirements  $d_{i,s}$  for item  $i$  in period  $s \in R$  correspond to the demand that must be satisfied in period  $s+l_i$ . Gross requirements are either forecasted or known with certainty for end items within the forecast window whereas gross requirements for components result from planned orders at higher levels.

Let  $x_{i,t}$  be the firm order for item  $i$  in period  $t$ . It is the number of units of item  $i$  which is ordered in period  $t$  to fill the net requirements for item  $i$  in period  $t+l_i$ .

The pipeline inventory  $Z_{i,s}$  represents the amount of inventory for item  $i$  at the end of period  $s$  if demand  $d_{i,s}$  is to be satisfied. We have

$$Z_{i,s} = Z_{i,s-1} + x_{i,s} - d_{i,s}, \quad (3)$$

with  $Z_{i,0} = I_{i,0}$ .

Inventories and orders reduce the gross requirements to the net requirements. Net requirements  $b_{i,s}$  result from the following definition/computation

$$b_{i,s} = \max(0, d_{i,s} - Z_{i,s-1} - x_{i,s}). \quad (4)$$

Once net requirements have been computed in time interval  $R$ , any lot-sizing rule is applied on these net requirements so as to obtain planned orders  $p_{i,s}$  representing quantities that will possibly be launched in period  $s$ . Only the first planned order  $p_{i,t}$  is transformed into a firm order  $x_{i,t}$ . In other words, we set  $x_{i,t} = p_{i,t}$  and  $x_{i,t}$  corresponds to a quantity that is really ordered in period  $t$ . Planned orders and firm orders are used to compute gross requirements for components as follows

$$d_{i,s} = \sum_{j \in \Gamma(i)} c_{i,j} \cdot X_{j,s+l_i} \text{ with } X_{j,s+l_i} = \begin{cases} x_{j,s+l_i} & \text{if } s+l_i < t \\ p_{j,s+l_i} & \text{otherwise} \end{cases}, \quad (5)$$

where  $c_{i,j}$  denotes the production ratio (number of units of  $i$  to produce one unit of  $j$ ).

When period  $T$  is reached, we are able to compute the inventory  $I_{i,t}$  for all items and periods for cost calculation purposes. We have

$$I_{i,t} = I_{i,t-1} + r_{i,t} - d_{i,t}, \quad (6)$$

where  $r_{i,t}$  denotes the scheduled receipts for item  $i$  in period  $t$ . Scheduled receipts simply correspond to firm orders after completion, that is  $r_{i,t} = x_{i,t-l_i}$ . Gross requirements  $d_{i,t}$  no longer result from planned orders but from firm orders

$$d_{i,t} = \sum_{j \in \Gamma(i)} c_{i,j} \cdot x_{j,t}, \quad (7)$$

as orders have all been launched at the end of the problem horizon.

### 3.2 Rolling procedure under certainty

This subsection is dedicated to a description of the rolling procedure applied to general product structures involving positive lead times. We show how a situation of stockout may appear in that situation even if demand is known with certainty within the forecast window. We use a simple example to illustrate the functioning of the rolling procedure. Let us consider the example in Figure 1.




Figure 1: Data of an example

Product structure in Figure 1 involves 5 items with a complexity index equals  $C = (7 - 4)/(9 - 4) = 0.6$ . We chose  $T = 12$  and  $W = 4$ , which means that we apply any lot-sizing rule on the net requirements for 4 periods of deterministic demand. Lead times are only positive for items 2, 3 and 4. Table 1 exhibits the rolling procedure for the first three periods of the planning horizon. At the beginning, ( $t = 1$ ), we know the demand for the end item 1 in periods 1 to 4 and we must implement launching decisions for all items in period 1. In this example, we have applied the Wagner-Whitin algorithm in a sequential fashion. The algorithm proposes the lot for lot solution for item 1 and a single lot size for the components. We implement the first lot-sizing decision, so we set  $x_{i,1} = p_{i,1}, \forall i$ . In period 2, a new demand is revealed (that of period 5) so we still know 4 future demands. For the first three items, the Wagner-Whitin algorithm suggests an order in period 5 to cover the new demand. Gross requirements for item 4 have increased in period 3 and 4; a new order is now required in period 3. A similar situation can be observed for item 5. We set  $x_{i,2} = p_{i,2}$  for all items. In period 3, the Wagner-Whitin algorithm operates on periods  $\{3, 4, 5, 6\}$ . The lot for lot solution is still suggested for the end item. For items 2 and 3, the planned order in period 4 has been increased to cover the new demand of period 6. A single order is still proposed for item 4 in period 3. Given that planned orders in period 3, we may recompute the gross requirements for item 5 in period 2, using formula (5). We have  $d_{5,2} = p_{4,3} + p_{1,3} = 210 + 39 = 249$  but in that period we only have  $Z_{5,1} + x_{5,2} = 85 + 136 = 221$  and it is already too late to increase  $x_{5,2}$  for this lot size belongs to the past. The stream of planned orders in period 3 is therefore infeasible as  $Z_{5,2} = Z_{5,1} + x_{5,2} - d_{5,2} = 85 + 136 - 249 < 0$ .

$s \in R$	$t = 1$				$t = 2$					$t = 3$					
	1	2	3	4	1	2	3	4	5	1	2	3	4	5	6
$d_{1,s}$	56	36	39	46		36	39	46	34			39	46	34	36
$b_{1,s}$	56	36	39	46		36	39	46	34			39	46	34	36
$p_{1,s}$	56	36	39	46		36	39	46	34			39	46	34	36
$Z_{1,s}$	0	0	0	0		0	0	0	0			0	0	0	0
$d_{2,s}$	56	36	39	46		36	39	46	34			39	46	34	36
$b_{2,s}$	56	36	39	46		0	0	0	34			0	0	34	36
$p_{2,s}$	177	0	0	0		0	0	0	34			0	0	70	0
$Z_{2,s}$	0	0	0	0		85	46	0	0			46	0	0	0
$d_{3,s}$	36	39	46	0	36	39	46	34	0		39	46	34	36	0
$b_{3,s}$	36	39	46	0		0	0	34	0			0	34	36	0
$p_{3,s}$	121	0	0	0	121	0	0	34	0			0	70	0	0
$Z_{3,s}$	0	0	0	0	85	46	0	0	0	85	46	0	0	0	0
$d_{4,s}$	36	39	46	0	36	39	80	68	0		39	116	104	36	0
$b_{4,s}$	36	39	46	0		0	34	68	0			70	104	36	0
$p_{4,s}$	121	0	0	0	121	0	102	0	0			210	0	0	0
$Z_{4,s}$	0	0	0	0	85	46	0	0	0	85	46	0	0	0	0
$d_{5,s}$	36	39	46	0	36	141	46	34	0		249	46	34	36	0
$b_{5,s}$	36	39	46	0		56	46	34	0			46	34	0	0
$p_{5,s}$	121	0	0	0	121	136	0	0	0		136	0	0	0	0
$Z_{5,s}$	0	0	0	0	85	0	0	0	0	85	<b>-28</b>	0	0	0	0

$d_{i,s}$ : gross requirements for item  $i$  in period  $s$ ,  $b_{i,s}$ : net requirements,  $p_{i,s}$ : planned order,  $Z_{i,s}$ : pipeline inventory.

Table 1: A situation of stockout

We are now able to provide a formal definition of the feasibility of planned orders. A stream of planned orders in period  $t$  is feasible (and may be transformed into firm orders) if and only if

$$Z_{i,k-1} + x_{i,k} \geq d_{i,k} \quad \forall i \mid \Gamma(i) \neq \emptyset \text{ and } \forall k \in \{t - l_i, \dots, t - 1\}. \quad (8)$$

To check this inequality, we only need to recompute the gross requirements in time interval  $\{t - l_i, \dots, t - 1\}$ , using formula (5).

Each time the above inequality is not satisfied, we face a stockout. The most natural solution to cope with such a situation is to introduce safety stocks at all levels in the product structure. This solution is widely employed in a stochastic context. Whenever a stockout is about to occur the safety stock is increased so as to avoid lost demands. In the above example, a safety stock of 28 units for item 5 would have impeded the stockout exhibited in Table 1. Such a safety stock strategy is obviously implemented at the expense of extra carrying costs.

### 3.3 Rolling procedure under probabilistic demand

Let us consider our example in Figure 1 and suppose the lot for lot solution is suggested for items 1 and 3. It is only necessary to consider these two items to illustrate the functioning of the rolling procedure when demand is not certain. Table 2 displays the procedure for items 1 and 3 for the first two periods of the planning horizon. In period  $t = 2$ , demand for item 1 in periods 2, 3 and 4 has changed and the demand in period 5 is now known probabilistically. Demand increase in period 2 triggers a bigger demand for item 3 in period 1 that cannot be covered by a proper order (it is too late). We therefore face a stockout of 4 units of item 3 in period 1.

Period $s \in R$	$t = 1$				$t = 2$				
	1	2	3	4	1	2	3	4	5
Gross req. $d_{1,s}$	56	<b>36</b>	<b>39</b>	<b>46</b>	56	<b>40</b>	<b>37</b>	<b>43</b>	34
Net req. $b_{1,s}$	56	36	39	46	56	40	37	43	34
Plan. order $p_{1,s}$	56	36	39	46	56	40	37	43	34
Pipe. Inv. $Z_{1,s}$	0	0	0	0	0	0	0	0	0
Gross req. $d_{3,s}$	36	39	46	0	40	37	43	34	0
Net req. $b_{3,s}$	36	39	46	0	4	37	43	34	0
Plan. order $p_{3,s}$	36	39	46	0		0	0	34	0
Pipe. inv. $Z_{3,s}$	0	0	0	0	<b>-4</b>		0	0	0

Table 2: The occurrence of a stockout under probabilistic demands

This example provides a typical illustration of stockout situations arising when demand forecast is subject to error. Actually, stockouts could be tolerated at the expense of a lower service level. Several lot-sizing rules may provide different results both in terms of cost effectiveness and service levels. As it is tricky to compare them on the basis of these two criteria, we introduce safety stocks for all components so as to make the service level always equal to 100%. Bookbinder and Heath (1988) or Wemmerlöv and Whybark (1984) have implemented a search routine for the appropriate values of safety stocks. First no safety stock is introduced and the maximum stockout is recorded. Second, the safety stock is set to the value of the maximum stockout and the lot-sizing rule is re-applied. The safety stock is adjusted each time a stockout is about to occur. Once the safety stock is large enough, the rule is applied over the whole problem horizon and the cost is computed.

### 3.4 Formal presentation of the rolling procedure with safety stocks

Table 3 lists the operations to be performed in a rolling schedule environment for all items  $i$  in the current period  $t$  for which set-up decisions must be implemented. We first recompute the gross requirements and pipeline inventories in past periods  $\{t-l_i-1, \dots, t-1\}$ . In period  $t-l_i-1$  gross requirements take their final value as  $d_{i,t-l_i-1} = \sum_{j \in \Gamma(i)} c_{i,j} \cdot x_{j,t-1}$  with all  $x_{j,t-1}$  determined in the previous period. This preliminary computation is necessary to determine the net requirements in time interval  $\{t, \dots, t+W-1\}$  on which we shall apply any lot-sizing rule so as to obtain a stream of planned orders  $\{p_{i,s}\}_{s=t, \dots, t+W-1}$ . Computation of net requirements incorporates the

safety stock  $SS_i$  for each item  $i$ . The boolean variable ‘IncludeSS’ ensures that the safety stock is only included in the first planned order of the forecast window  $W$ . Once planned orders have been determined along the forecast window, we implement the first lot size decision by setting  $x_{i,t} = p_{i,t}$ . This firm order triggers scheduled receipts  $l_i$  period(s) later. When the current period is the first period ( $t = 1$ ), scheduled receipts are set to a value that makes any solution feasible. By doing so, we ensure production possibilities for all items within the cumulative lead time. When large product structures are considered, cumulative lead times may be so long that nothing is produced for a large portion of the horizon. To smooth away periods with zero production some authors (like Wemmerlöv and Whybark, 1984) simply choose to record no statistics for a given number of periods they call the start-up period. Finally, ending inventories are computed and stockouts ( $SO_{i,t}$ ) are recorded for each item in each period. Values of safety stocks  $SS_i$  are updated and the full rolling procedure is repeated until no more stockout occurs.

## 4 Experimental framework

We begin with a brief presentation of the lot-sizing techniques included in the study. We then describe how demand and forecast errors are generated. We finally provide our cost generator and discuss the values of other parameters which were employed in the experiment.

### 4.1 Lot-sizing procedures

We selected seven single-level lot-sizing rules for use in the study. The Wagner-Whitin algorithm (1958), the Silver-Meal technique (1973), the incremental part period algorithm (1968), the Silver version of the economic order quantity (Silver, 1976) and the periodic order quantity. The lot for lot solution was initially included but its extreme performance led us to abandon it. Despite the development of heuristics specifically designed to account for interdependencies among stages, the chosen heuristics are still widely adopted in practice under rolling and multi-level conditions.

The Wagner-Whitin algorithm (WW) provides the optimal solution to the single-level lot-sizing problem by use of dynamic programming. The economic order quantity (EOQ) is the traditional Wilson lot-sizing model which balances the inventory carrying costs and order costs. The Silver version of this method lumps an integer number of future demands closest to the EOQ value. The periodic order quantity (POQ) uses the EOQ to determine the reorder time cycle and then orders what is actually forecasted for that time cycle. The incremental part period algorithm (IPPA) increases the size of the order until carrying costs are equal or less than the set-up cost. The Silver-Meal heuristic selects the order quantity so as to minimize the cost per unit time over the time periods the order lasts. The least unit cost (LUC) selects the order quantity so as to minimize the cost per unit (cumulation of the requirements until the cost per unit starts to increase).

### 4.2 Demand generation

Within the forecast window, demand for end items is defined as

$$d_s = \hat{d}_s + \varepsilon_s \quad \forall s = t, \dots, t + W - 1$$

```

repeat
  for  $t = 1, \dots, T$ 
    for  $i = 1, \dots, P$ 

      Computation of  $d$ ,  $Z$  and  $b$ 
      for  $s = t - l_i - 1, \dots, t - 1$ 
        recompute  $d_{i,s}$  (equation (5))
        recompute  $Z_{i,s}$  (equation (3))
      IncludeSS=true
      for  $s = t, \dots, t + W - 1$ 
        compute  $d_{i,s}$ 
        if IncludeSS=true
          set  $\Delta_i = SS_i$ 
        else
          set  $\Delta_i = 0$ 
        if  $Z_{i,s-1} + x_{i,s} < d_{i,s} + \Delta_i$ 
           $b_{i,s} = d_{i,s} + \Delta_i - Z_{i,s-1} - x_{i,s}$ 
           $Z_{i,s} = 0$ 
          IncludeSS=false
        else
           $b_{i,s} = 0$ 
           $Z_{i,s} = Z_{i,s-1} + x_{i,s} - d_{i,s}$ 
        apply any lot-sizing rule on  $\{b_{i,s}\}_{s=t, \dots, t+W-1}$ 
        (we thus obtain  $\{p_{i,s}\}_{s=t, \dots, t+W-1}$ )
        set  $x_{i,t} = p_{i,t}$ 
        set  $r_{i,t+l_i} = x_{i,t}$ 

      Initial values for scheduled receipts
      if  $t = 1$ 
        for  $s = 1, \dots, l_i$ 
           $r_{i,s} = \sum_{j \in \Gamma(i)} p_{j,s}$ 

      Ending inventories and updated safety stocks
      for  $i = 1, \dots, P$ 
        for  $t = 1, \dots, T$ 
           $I_{i,t} = \max(I_{i,t-1}, 0) + r_{i,t} - d_{i,t}$ 
          if  $I_{i,t} < 0$ 
             $SO_{i,t} = -I_{i,t}$ 
          else
             $SO_{i,t} = 0$ 
           $SS_i = SS_i + \max_{t=1, \dots, T} SO_{i,t}$ 

until  $\sum_{i=1, \dots, P} \left( \max_{t=1, \dots, T} SO_{i,t} \right) = 0$  (no more stockout)

```

Table 3: Rolling procedure with safety stocks

where  $\hat{d}_s$  is the estimated demand and  $\varepsilon_s$  is the forecast error. Although several end items could have been included in the present study we chose to take only one end item per product structure for the sake of simplicity.

### 4.2.1 Demand patterns

Estimated demands may follow different patterns. We chose to generate demand for the end item from a uniform distribution of mean 50. We have  $\hat{d}_s \sim U[0, 2\bar{d}]$ . Standard deviation of estimated demands therefore equals  $(1/12(100 - 0)^2)^{1/2} = 28.86$ .

We also chose to generate demands from a normal distribution with same average and standard deviation:  $\hat{d}_s \sim N[50, 28.86]$ .

### 4.2.2 Forecast errors

We hypothesized  $\varepsilon_s \sim \mathcal{N}(0, \sigma_s)$  and we selected two patterns for the forecast errors. We first assumed that forecast errors have a constant variance

$$\sigma_s = \sigma \quad \forall s = t, \dots, t + W - 1 \text{ and } \sigma = \{0.0\bar{d}, 0.1\bar{d}, 0.2\bar{d}, 0.3\bar{d}, 0.4\bar{d}, 0.5\bar{d}, 0.6\bar{d}\}.$$

Like De Bodt et al. (1982), we also considered increasing errors with time

$$\sigma_s = (s - t) \cdot \sigma \quad \forall s = t, \dots, t + W - 1,$$

with the same values for  $\sigma$  as above. Demand in period  $t$  is known with certainty whereas error variance equals  $\sigma$  in the next period,  $2\sigma$  for two periods ahead and so on. Whenever  $\varepsilon_s - \hat{d}_s < 0$ , we set  $d_s$  to zero and the actual demands were adjusted so that the average actual demand was equal to the forecast mean.

## 4.3 Cost generation

In accordance with the assumption of value-added holding costs, carrying costs for each item were defined as follows

$$h_i = e_i + \sum_{j \in \Gamma^{-1}(i)} c_{j,i} \cdot h_j \text{ with } e_i = 0.0005 + 0.02 \times u,$$

where  $u$  is selected from a uniform distribution between 0 and 1.

We used the TBO (time between orders) factor to determine set-up cost parameters. For each item we set

$$S_i = 0.5 \cdot \bar{d}_i \cdot h_i \cdot TBO^2 \text{ with } \bar{d}_i = \sum_{h \in \Gamma(i)} c_{i,h} \cdot \bar{d}_h.$$

Three levels of TBO were chosen: 2, 4 and 6.

## 4.4 Other parameters

Lead times were uniformly drawn at random in the set  $\{1, 2\}$ . Product structures were defined in terms of the complexity index  $C$ . We chose 4 values of  $C$  in the set  $\{0.00, 0.25, 0.50, 0.75\}$ . In the first phase of our experiment, we involved structures with one end item made of 9 components ( $P = 10$ ), the lowest level was set to 3 throughout and the planning horizon was set to 60 periods. In the second phase, larger problems were generated with  $P = 50$ ,  $N = 8$ . The horizon length was set to 120 periods as in earlier studies (e.g. De Bodt et al. 1982). In both phases the forecast window length was a function of TBO values. Blackburn and Millen (1980) reported that a forecast window of 3 TBO was appropriate for heuristic procedures

whereas Lundin and Morton (1975) suggested that a window of 5 TBO should be used for WW. Consequently, we set  $W = 3 \times TBO$  and  $W = 5 \times TBO$ . Each of the  $2 \times 2 \times 7 \times 3 \times 4 \times 2 = 672$  experiments was replicated 5 times, therefore providing 3360 cost observations per lot-sizing rule.

## 5 Simulation results

As already mentioned, the experiment was divided into two phases. The first subsection presents the simulation results for problems of moderate size in which we included the Wagner-Whitin algorithm. Execution time of WW precluded its use for larger problems. In the first phase, WW was already greedy compared to other techniques. For instance to solve one rolling problem with  $P = 10$  and  $T = 60$ , each single-level technique is applied approximately  $P \times T = 600$  times and determination of appropriate values for safety stocks requires on average 3 passes or runs of the full rolling procedure. Thus, to get cost observations associated with one technique and one scenario, we need to apply the concerned technique  $3 \times P \times T = 1800$  times. For these small instances, it required on average 0.06 sec. for any heuristic other than WW to solve one case (including the determination of safety stock values). Execution time of WW was 70 times higher with an average of 4.38 sec. per scenario (simulations were run on a Pentium III, 450 Mhz). Thus, despite the development of ever more powerful computers, computational disadvantage of WW is unmistakable under multi-level rolling conditions.

### 5.1 small instances

Table 4 gives for any lot-sizing rule the average cost decrease resulting from an error depletion (each entry is an average of 480 observations). For instance, reducing the error from 10% to 0% yields a cost decrease of 52.65% using the IPPA rule. The first row clearly shows that switching from a situation of low error (10%) to a situation of certainty leads to a cost reduction of about 50% whatever the employed technique. Decreasing the error level yields better cost reductions when the initial level of uncertainty is moderate: cost reduction is about 3% for an error decrease from 20% to 10% whereas it approximates 1% for a decrease in uncertainty from 60 to 50% or 50 to 40%. Whatever the selected technique reducing the error level always leads to a significant cost decrease.

	IPPA	WW	EOQ	POQ	LUC	SM
Error decrease (%)						
10 – 0	-52.65	-50.38	-39.72	-49.02	-49.54	-50.20
20 – 10	-3.03	-3.63	-1.9	-4.47	-2.51	-2.59
30 – 20	-2.48	-1.85	-0.75	-2.26	-2.25	-2.55
40 – 30	-1.44	-1.51	-1.13	-1.63	-1.54	-1.93
50 – 40	-1.06	-1.37	+0.22	-1.04	-1.09	-1.05
60 – 50	-1.34	-1.18	-0.71	-1.74	-1.04	-1.47
60 – 10	-9.49	-9.74	-5.03	-11.7	-8.89	-9.57

Table 4: Average cost decrease per error decrease

Table 5 provides for each technique the average cost deviation relative to the best overall rule namely IPPA (bold numbers). For each error level we have  $2 \times 2 \times 3 \times$

$2 \times 5 \times 4 = 480$  cost observations per rule (2 demand patterns, 2 error patterns, 3 TBO values, 2 window lengths, 4 values of the complexity index and 5 replications). In each of these 480 situations we divided the cost of a given technique by the cost provided by IPPA in the same situation and then averaged over the 480 scenarios. Table 5 also gives the standard deviation computed in a similar way (regular numbers below bold numbers). For instance, WW produces costs that are on average 6.95% higher than the costs of IPPA with a standard deviation of 21.36% in case of no error. The last five rows exhibit the result of testing the impact of error levels on the relative cost performance of the heuristics using the non-parametric Kruskal-Wallis ANOVA.

Factor	Value	WW	EOQ	POQ	LUC	SM
Error (480 Obs.)	0.00	<b>6.95</b>	<b>34.97</b>	<b>11.64</b>	<b>12.31</b>	<b>10.40</b>
		21.36	32.56	22.97	7.97	13.32
	0.10	<b>1.63</b>	<b>4.51</b>	<b>3.54</b>	<b>6.34</b>	<b>4.69</b>
		6.81	7.39	7.27	8.30	7.13
	0.20	<b>2.28</b>	<b>3.38</b>	<b>5.32</b>	<b>5.78</b>	<b>4.14</b>
		6.09	7.53	8.20	8.33	6.88
	0.30	<b>1.62</b>	<b>1.66</b>	<b>5.20</b>	<b>5.63</b>	<b>4.16</b>
		5.35	6.96	8.18	8.47	6.53
	0.40	<b>1.72</b>	<b>1.38</b>	<b>5.63</b>	<b>5.89</b>	<b>4.66</b>
		5.37	6.91	8.31	8.62	6.57
	0.50	<b>2.04</b>	<b>0.12</b>	<b>5.72</b>	<b>6.23</b>	<b>4.67</b>
		5.32	6.73	7.42	10.14	6.95
	0.60	<b>1.88</b>	<b>-0.41</b>	<b>6.23</b>	<b>6.08</b>	<b>4.80</b>
		5.02	6.52	7.61	10.68	7.00
p.c. %	$\sigma \geq 0$	41.82	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
	$\sigma \geq 10$	43.79	<b>0.00</b>	<b>0.00</b>	53.43	44.47
	$\sigma \geq 20$	40.34	<b>0.00</b>	11.69	91.71	32.32
	$\sigma \geq 30$	60.96	<b>0.00</b>	9.07	90.47	39.60
	$\sigma \geq 40$	73.19	<b>0.00</b>	50.57	76.56	82.26
	$\sigma \geq 50$	59.10	27.70	26.05	64.22	58.80

Table 5: Means and standard deviations of cost increases - small instances

To highlight the results in Table 5, we chose to plot the average cost deviation from IPPA in Figure 2 for all positive error levels (for  $\sigma = 0$ , cost deviations were too dispersed to be included in the Figure). This figure also provides the results of the Wilcoxon test for paired samples we used to explore differences between lot-sizing rules for each positive error level. The test was performed on gross cost observations and was used to appraise the null hypothesis that the costs produced by two different techniques come from the same distribution. A vertical line linking two points or a squared around two points in Figure 2 means that no statistically significant difference exists between the two concerned techniques at the 5% level.

For  $\sigma = 0$  (no error, see Table 5) IPPA is the best heuristic followed by WW that produces on average cost that are 6.95% higher than those resulting from IPPA. However, the Wilcoxon test revealed that there are no significant differences between IPPA and WW. POQ, SM and LUC produce costs that deviate from IPPA by 10-12% but these heuristics are all different. The worst technique under certainty is EOQ with an average cost deviation of 34.97%.

As soon as uncertainty is introduced ( $\sigma = 10\%$ ), cost deviations from IPPA imme-




Figure 2: Average cost deviation relative to IPPA and Wicoxon test results - small instances.

diately decrease and become less dispersed than they are under certainty. However, significant differences exist between some pairs of rules. WW is the second best heuristic after IPPA. IPPA and WW are different from each other and also from the rest of the techniques. POQ and EOQ are not significantly different and perform worse than IPPA and WW. The worst heuristics are LUC and SM and they are not statistically different from each other.

For  $\sigma = 20\%$  to  $\sigma = 60\%$ , POQ behaves exactly in the same way as LUC and exhibits the poorest performance. SM performs better than LUC and seems to produce better costs than POQ although there are no significant differences between SM and POQ. From Figure 2 it can be seen that these three heuristics exhibit a very similar behaviour for the various levels of error and differences between their cost deviations are clearly steady over the  $\sigma$ -values. Results of the Kruskal-Wallis ANOVA test show that the performance of these three procedures is no longer affected by the magnitude of errors as soon as  $\sigma \geq 20\%$  (critical probabilities in Table 5 for  $\sigma \geq 20\%$  to  $\sigma \geq 50\%$  are all superior to 5%).

WW still appears as the second best method after IPPA for errors up to 30%. As outlined by the ANOVA test (see Table 5) its performance is not affected at all by the introduction of uncertainty. On Figure 2 we can easily observe that WW's average deviation from IPPA is always around 2% whatever the magnitude of errors.

EOQ is the only heuristic whose performance dramatically improves with the level of uncertainty (see Figure 2). This is confirmed by the critical probabilities in Table 5: up to  $\sigma = 50\%$  there are significant differences in EOQ's relative cost performance

from one error level to the next. This result is consistent with prior single-level studies (De Bodt et al., 1982 and Wemmerlöv, 1984). Starting with the worst cost deviation from benchmark under certainty, the performance of EOQ gradually improves so as to reach that of WW for  $\sigma = 30\%$  and that of IPPA for  $\sigma \geq 50\%$ .

Factor	Value	WW	EOQ	POQ	LUC	SM
$C$ (840 obs.)	0.00	<b>3.19</b>	<b>6.48</b>	<b>5.27</b>	<b>5.26</b>	<b>5.14</b>
		10.91	22.05	12.70	8.35	8.68
	0.25	<b>3.15</b>	<b>7.12</b>	<b>6.31</b>	<b>7.03</b>	<b>5.53</b>
		10.07	18.41	11.41	9.75	8.64
	0.50	<b>2.86</b>	<b>6.03</b>	<b>7.33</b>	<b>6.91</b>	<b>5.39</b>
		9.45	16.06	11.15	8.37	8.06
	0.75	<b>1.16</b>	<b>6.44</b>	<b>5.82</b>	<b>8.38</b>	<b>5.39</b>
	8.47	15.50	10.78	10.12	8.01	
	p.c. %	<b>0.05</b>	<b>0.01</b>	<b>0.00</b>	<b>0.00</b>	31.77
Demand pattern (1680 obs.)	Uniform	<b>2.03</b>	<b>6.89</b>	<b>7.21</b>	<b>7.72</b>	<b>5.51</b>
		9.70	18.59	12.56	9.99	8.77
	Normal	<b>3.15</b>	<b>6.14</b>	<b>5.16</b>	<b>6.07</b>	<b>5.22</b>
		9.87	17.77	10.35	8.35	7.91
	p.c. %	<b>0.23</b>	<b>0.09</b>	<b>0.00</b>	<b>0.00</b>	94.31
TBO (1120 obs.)	2.00	<b>3.58</b>	<b>11.60</b>	<b>7.73</b>	<b>11.64</b>	<b>-0.74</b>
		11.06	23.00	9.79	10.06	3.61
	4.00	<b>3.11</b>	<b>7.30</b>	<b>7.09</b>	<b>4.01</b>	<b>3.90</b>
		9.23	17.19	12.27	7.17	5.50
	6.00	<b>1.09</b>	<b>0.64</b>	<b>3.74</b>	<b>5.04</b>	<b>12.93</b>
		8.79	10.36	12.03	8.33	8.32
	p.c. %	<b>0.03</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Error pattern (1680 obs.)	constant	<b>2.40</b>	<b>7.63</b>	<b>4.53</b>	<b>5.59</b>	<b>4.48</b>
		10.11	17.91	11.26	8.23	8.10
	increasing	<b>2.79</b>	<b>5.41</b>	<b>7.84</b>	<b>8.20</b>	<b>6.24</b>
		9.47	18.39	11.61	9.99	8.51
	p.c. %	13.58	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

Table 6: Means and standard deviations of cost ratios for other factors and critical probabilities - small instances

Table 6 displays the average cost deviations from IPPA for the other factors included in the study ( $C, TBO, \dots$ ). These average cost ratios appear in bold numbers and standard deviations are the regular numbers underneath. Table 6 also exhibits the critical probabilities for the Kruskal-Wallis ANOVA test which was used to appraise the impact of the various factors on the performance. Product structure complexity has a significant effect on the rules' relative cost performances (apart from SM) but the relationship between complexity and cost ratios is unclear. There is only a tendency for WW to improve as complexity is increased. The choice of a particular demand pattern also impacts on the cost performance except for SM. Cost performance of all heuristics except SM tends to improve as the level of TBO is increased. This is possibly due to a wider visibility as forecast windows are increasing with TBO and usually longer windows ameliorate the cost performance. The error pattern exerts influence on the cost performance of all techniques except WW which was already insensitive to the error level. EOQ's relative cost performance improves for errors increasing in time. EOQ's relative performance is definitely better with more errors.

## 5.2 Larger problems

Table 7 is analogous to Table 4 and displays the average cost reduction obtained by gradually diminishing the error level.

	IPPA	SM	LUC	EOQ	POQ
Error decrease (%)					
10-0	-57.51	-58.23	-51.14	-28.98	-32.66
20-10	-3.11	-3.43	-2.39	-1.42	-2.99
30-20	-2.09	-2.30	-1.24	-1.02	-2.36
40-30	-1.25	-1.48	-1.29	-0.71	-0.81
50-40	-1.29	-1.06	-0.45	-0.66	-1.14
60-50	-0.89	-0.94	-1.24	-1.18	-1.03
60-10	-8.53	-9.07	-6.73	-5.11	-8.34

Table 7: Average cost decrease per error reduction - larger problems

As expected, reducing the error level from 10% to 0% yields the biggest cost reductions, whatever the employed technique. This reduction approximates 50% for IPPA, SM and LUC whereas it reaches 30% for EOQ and POQ. Again, the cost reduction is always more important when the (initial) error level is moderate.

Like Table 5, Table 8 presents the average cost deviations relative to IPPA, the standard deviations and the results of the Kruskal-Wallis ANOVA test for 50-item product structures over a total number of  $T = 120$  periods.

Factor	Value	SM	LUC	EOQ	POQ
Error	0.00	<b>0.78</b>	<b>16.75</b>	<b>82.69</b>	<b>85.55</b>
(480 obs.)		11.79	10.74	48.70	73.13
	0.10	<b>0.77</b>	<b>1.99</b>	<b>1.24</b>	<b>6.88</b>
		3.87	6.91	7.00	6.01
	0.20	<b>1.10</b>	<b>1.18</b>	<b>-0.56</b>	<b>6.73</b>
		3.86	6.24	6.85	5.71
	0.30	<b>1.30</b>	<b>0.36</b>	<b>-1.57</b>	<b>7.07</b>
		3.67	6.57	7.25	6.15
	0.40	<b>1.57</b>	<b>0.33</b>	<b>-2.18</b>	<b>6.62</b>
		3.97	5.99	7.16	6.18
	0.50	<b>1.35</b>	<b>-0.54</b>	<b>-2.87</b>	<b>6.51</b>
		3.77	5.89	6.66	5.83
	0.60	<b>1.39</b>	<b>-0.15</b>	<b>-2.57</b>	<b>6.68</b>
		3.87	6.24	6.44	5.95
p.c. %	$\sigma \geq 0$	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
	$\sigma \geq 10$	<b>1.31</b>	<b>0.00</b>	<b>0.00</b>	64.69
	$\sigma \geq 20$	49.96	<b>0.00</b>	<b>0.00</b>	68.67
	$\sigma \geq 30$	83.54	<b>4.46</b>	<b>0.54</b>	67.82
	$\sigma \geq 40$	66.50	9.73	26.11	96.70
	$\sigma \geq 50$	89.99	58.64	57.01	81.85

Table 8: Means, standard deviations of cost increases and ANOVA test results - larger problems

Figure 3 plots the average cost ratios displayed in Table 8 and summarizes the results of the Wilcoxon test used to appraise the differences between heuristics.

Under certainty, IPPA is again the best heuristic followed very closely by SM. LUC produces cost that are 16.95% higher than IPPA. EOQ and POQ exhibit the

worst performance with a cost deviation superior to 80%. No significant differences exist between these two rules.

When uncertainty is introduced ( $\sigma = 10\%$ ), performance of all rules (except SM) dramatically improves so performance differences between rules are less contrasted. IPPA is still the best heuristic closely followed by SM, LUC and EOQ with no significant differences between these three rules. POQ appears as the worst technique with a cost deviation about 7%.

For  $\sigma = 20\%$  to  $\sigma = 60\%$ , SM exhibits a steady behaviour with an average deviation to IPPA around 1.40%. The ANOVA test shows that POQ's performance is no longer affected by the error level as soon as  $\sigma \geq 20\%$ . POQ is the worst heuristic and is actually not affected at all by the magnitude of error, only the existence of uncertainty matters. LUC behaves exactly in the same way as IPPA with no more significant differences between these two rules from  $\sigma = 30$  to 60%. EOQ is again the only heuristic for which the level of error matters and EOQ clearly outperforms IPPA for error levels superior to 30%.




Figure 3: Average cost deviation relative to IPPA and Wilcoxon test results - larger problems

Table 9 gives the average cost deviations from IPPA and standard deviations for the other factors included in the study ( $C, TBO, \dots$ ). Like Table 6, table 9 also displays the results of the Kruskal-Wallis ANOVA test which was used to check the impact of the various factors on the relative cost performances.

Every factor level seems to matter. There is a tendency of the procedures to improve as complexity is increased. Heuristics seem to perform better when a uniform demand pattern is considered. Generally cost performance improves with higher TBO

Factor	Value	SM	LUC	EOQ	POQ
<i>C</i> (840 obs.)	0.00	<b>2.30</b>	<b>2.96</b>	<b>18.83</b>	<b>22.64</b>
		7.73	8.12	55.66	57.21
	0.25	<b>1.59</b>	<b>3.10</b>	<b>7.51</b>	<b>16.33</b>
		4.48	9.42	23.98	32.27
	0.50	<b>0.63</b>	<b>3.22</b>	<b>8.46</b>	<b>16.72</b>
		4.88	10.19	25.96	30.74
	0.75	<b>0.19</b>	<b>2.10</b>	<b>7.59</b>	<b>16.33</b>
		4.87	8.65	23.55	30.54
	p.c. %	<b>0.00</b>	21.56	<b>0.00</b>	<b>0.00</b>
Demand pattern (1680 obs.)	Uniform	<b>0.87</b>	<b>3.44</b>	<b>9.39</b>	<b>14.75</b>
		6.55	9.21	31.46	19.64
	Normal	<b>1.49</b>	<b>2.25</b>	<b>11.81</b>	<b>21.26</b>
		4.67	9.02	38.76	51.98
	p.c. %	<b>0.00</b>	<b>0.00</b>	<b>0.45</b>	<b>0.00</b>
TBO (1120 obs.)	2.00	<b>-0.29</b>	<b>2.80</b>	<b>11.71</b>	<b>24.69</b>
		2.93	11.20	41.52	57.01
	4.00	<b>0.41</b>	<b>1.87</b>	<b>10.00</b>	<b>13.54</b>
		5.13	7.37	35.31	23.79
	6.00	<b>3.42</b>	<b>3.87</b>	<b>10.08</b>	<b>15.79</b>
		7.40	8.30	27.77	27.91
	p.c. %	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Error pattern (1680 obs.)	constant	<b>0.53</b>	<b>4.00</b>	<b>13.00</b>	<b>18.09</b>
		5.63	8.46	34.34	39.36
	increasing	<b>1.83</b>	<b>1.69</b>	<b>8.20</b>	<b>17.92</b>
		5.70	9.63	36.11	39.48
	p.c. %	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	8.30

Table 9: Means and standard deviations of cost ratios for otherfactors and critical probabilities - larger problems

(except for SM as it was already the case for small instances). Again EOQ performs better under increasing errors.

## 6 Conclusions

In this paper, it has been shown that error decrease (equivalently more accurate forecast data) always yields significant cost reductions whatever the employed lot-sizing technique. However, the relationship between the error decrease and the cost diminution is not linear: cost reductions are more important when the initial level of error is moderate. This suggests that companies working on the basis of highly uncertain demand data might be disappointed by the benefits of implementing EDI as one can not reasonably expect an error decrease from 50% to 10%. Paradoxically companies with moderate demand uncertainty have therefore more incentives to develop EDI.

As soon as uncertainty is introduced cost performances relative to benchmark (IPPA) become less dispersed than they are under certainty. The presence or absence of errors really matters whereas the error magnitude itself is less important. This does not mean that all heuristics exhibit similar performances under uncertainty. Heuristics still exhibit significant performance differences but their relative performances tend to level off as errors grow larger.

When the error level is increased heuristics' relative performances are no longer affected by the magnitude of error except EOQ whose relative performance dramatically improves with the error level. This is consistent with prior studies and some authors posit that EOQ exhibits a good performance because it carries its own safety stock. As we used Silver's version of the EOQ, this argument can hardly be valid since orders always cover an integer number of future demands. A look at the safety stock values we obtained for all items and each technique revealed that these values were not lower for EOQ.

IPPA shows the best performance for small instances and larger problems up to  $\sigma = 30\%$  (EOQ outperforms IPPA for  $\sigma = 30\%$  to  $60\%$ ). WW is ranked second after IPPA whereas SM, LUC and POQ show a fairly poor performance. As outlined by Wemmerlöv and Whybark (1984) in their single-level study, EOQ seems a wise choice when companies face wrong forecasts. The present multi-level study confirms this finding for the largest product structures under examination and for high levels of uncertainty.

This study is probably one of the first that thoroughly considers multi-level lot sizing problems with many different product structures involving a reasonably large number of components. Contrary to prior studies, we also assumed positive lead times and showed how this affects the functioning of the rolling procedure even when demand is known with certainty within the forecast window. Although the main single-level lot-sizing techniques have been included here, procedures that are specifically designed for the multi-level problem are available and could be included in a future study for the sake of more complete cost comparisons. We chose not to include these multi-level procedures in the present study because most of them are based on the Wagner-Whitin algorithm whose computational disadvantage still deters manufacturers especially under rolling conditions.

## References

- [1] F. H. Abernathy, J. T. Dunlop, J. H. Hammond, and D. Weil. Retailing and supply chains in the information age. *Technology in Society*, pages 5–31, 2000.
- [2] D. Aucamp. A variable demand lot-sizing procedure and a comparison with various well known strategies. *Production and Inventory Management*, 2:1–20, 1985.
- [3] J. Blackburn and R. Millen. Heuristic lot-sizing performance in a rolling-schedule environment. *Decision Sciences*, 11:691–701, 1980.
- [4] J. D. Blackburn and R. A. Millen. Improved heuristics for mutli-stage requirements planning systems. *Management Science*, 28:44–56, 1982.
- [5] J. Bookbinder and D. Heath. Replenishment analysis in distribution requirements planning. *Decision Sciences*, 19:477–489, 1988.
- [6] J. Bookbinder and B. H’ng. Production lot sizing for deterministic rolling schedules. *Journal of Operations Management*, 3:349–362, 1986.
- [7] J. H. Bookbinder and J.-Y. Tan. Two lot-sizing heuristics for the case of deterministic time-varying demands. *International Journal of Operations and Production Management*, 5:30–42, 1985.
- [8] K. L. A. Bookbinder, J. H. Production planning for mixed Assembly/Arborescent systems. *Journal of Operations Management*, 9:7–23, 1990.
- [9] R. Carlson, S. Beckman, and D. Kropp. The effectiveness of extending the horizon in rolling production scheduling. *Decision Sciences*, 13:129–146, 1982.
- [10] S. Chand. A note on dynamic lot sizing in a rolling-horizon environment. *Decision Sciences*, 13:113–119, 1982.
- [11] S. Chand. Rolling horizon procedures for the facilities in series inventory model with nested schedules. *Management Science*, 29:237–249, 1983.
- [12] D. A. Collier. The measurement and operating benefits of component part commonality. *Decision Sciences*, 12:85–96, 1981.
- [13] S. R. Croom. The impact of web-based procurement on the management of operating resources supply. *The Journal of Supply Chain Management*, pages 4–13, 2000.
- [14] M. De Bodt, L. Van Wassenhove, and L. Gelders. Lot sizing and safety stock decisions in an mrp systems with demand uncertainty. *Engineering Costs and Production Economics*, 6:67–75, 1982.
- [15] M. A. De Bodt and L. N. Van Wassenhove. Cost increases due to demand uncertainty in mrp lot sizing. *Decision Sciences*, 14:345–362, 1983.
- [16] D. R. Deeter-Schmelz, A. Bizzari, R. Graham, and C. Howdyshell. Business-to-business online purchasing: Suppliers’impact on buyers’adoption and usage intent. *The Journal of Supply Chain Management*, pages 4–10, 2001.

- [17] G. K. Groff. A lot sizing rule for time-phased component demand. *Production and Inventory Management*, 20:47–53, 1979.
- [18] Y. Gupta, Y. Keung, and M. Gupta. Comparative analysis of lot-sizing models for multi-stage systems: a simulation study. *International Journal of Production Research*, 30:695–716, 1992.
- [19] S. Kekre and T. Mukhopadhyay. Impact of electronic data interchange technology on quality improvement and inventory reduction programs: a field study. *International Journal of Production Economics*, pages 265–282, 1992.
- [20] A. Kimms. *Multi-Level Lot-Sizing and Scheduling Methods for Capacitated, Dynamic and Deterministic Models*. Physica Verlag Series on Production and Logistics. Springer, 1997.
- [21] D. Kropp, R. Carlson, and S. Beckman. A note on stopping rules for rolling production scheduling. *Journal of Operations Management*, 3:113–119, 1983.
- [22] R. Lundin and T. Morton. Planning horizons for the dynamic lot size model: Zabel vs protective procedures and computational results. *Operations Research*, 23:711–734, 1975.
- [23] R. Russel and T. Urban. Horizon extension for rolling production schedules: Length and accuracy requirements. *International Journal of Production Economics*, 29:111–122, 1993.
- [24] E. A. Silver. The response of a concerned management scientist. *Production and Inventory Management*, 17:108–112, 1976.
- [25] E. A. Silver and H. C. Meal. A heuristic for selecting lot size requirements for the case of a deterministic time-varying demand rate and discrete opportunities for replenishment. *Production and Inventory Management*, 14:64–74, 1973.
- [26] N. Simpson. Multiple level production in rolling horizon assembly environments. *European Journal of Operational Research*, 114:15–28, 1999.
- [27] H. Stadtler. Improved rolling schedules for the dynamic single-level lot-sizing problem. *Management Science*, 46:318–326, 2000.
- [28] H. M. Wagner and T. M. Whitin. Dynamic version of the economic lot size model. *Management Science*, 5:89–96, 1958.
- [29] U. Wemmerlov and D. C. Whybark. Lot-sizing under uncertainty in a rolling schedule environment. *International Journal of Production Research*, 22:467–484, 1984.