

CAHIER DU LAMSADE

Laboratoire d'Analyse et Modélisation de Systèmes pour l'Aide à la Décision
(Université de Paris-Dauphine)
Unité Associée au CNRS n° 825

CRITERION OF DISTANCE BETWEEN TECHNICAL PROGRAMMING AND SOCIO-ECONOMIC PRIORITY

CAHIER N° 95
octobre 1989

B. ROY
R. SLOWINSKI

Deuxième version révisée :
mars 1990

Received March 1989.

CONTENTS

	<u>Pages</u>
Résumé	1
Abstract	1
Acknowledgements	1
1. Introduction	2
2. General definitions and notations	5
3. Logical conditions	7
4. Significance conditions	9
5. Final result	11
5.1 Domain of variation of $\delta(q_1, q_2)$	11
5.2 Solution finally adopted	13
6. Numerical example	14
References	21

CRITERE DE DISTANCE ENTRE RANGEMENTS ISSUS D'UNE PROGRAMMATION TECHNIQUE ET DE PRIORITES SOCIO-ECONOMIQUES

RESUME

Le problème abordé est celui de la comparaison de deux préordres partiels. Les préordres ayant motivé ce travail résultaient, la première de la prise en compte de priorités socio-économiques et, la seconde, d'une programmation technique. On propose un critère de distance dont la pertinence dépasse le cas concret de départ. La forme analytique du critère est justifiée par un ensemble de conditions logiques et de bon sens. L'utilisation de ce critère est illustrée par un exemple de programmation régionale d'adduction d'eau.

Mots-clés : Aide à la décision, critères, distance, rangement des priorités, programmation technique.

CRITERION OF DISTANCE BETWEEN TECHNICAL PROGRAMMING AND SOCIO-ECONOMIC PRIORITY

ABSTRACT

The problem considered in this paper deals with the comparison of two partial preorders. The preorders which inspired this work are related to programming of water supply systems. The first preorder corresponds to the socio-economic priority of water users, and the second, to precedence constraints among users according to technical programming. We propose a criterion of distance between two partial preorders whose relevance goes beyond the initial specific application. The analytical form of the criterion is justified by a set of logical and significance conditions. The use of this criterion is illustrated by an example of regional water supply system programming.

Keywords : Decision making, distance criterion, priority order, technical programming.

ACKNOWLEDGEMENTS

Many thanks are due to Professor Barthélémy for his very helpful comments which allowed us to complete and improve the first version of this paper.

1. INTRODUCTION

Our interest in the subject of this paper arose from investigation of multicriteria programming of rural water supply systems (see Slowinski and Treichel (1986), (1988)).

Construction of rural water supply systems (WSS) shows a tendency to reduce the number of small local installations, supplying one or several farms, in favour of developing bigger installations grouping even several dozen farms, hamlets, villages and food-processing plants. It is due to the fact that rural WSSs have better economic and operational characteristics.

Construction of rural WSS is usually preceded by an analysis of a medium-term decision problem concerning the best use of investment funds and water resources, the most beneficial development of the region and the best improvement of agricultural productivity. This is a complex problem which needs a multicriteria analysis of alternative decisions. This stage of analysis is called WSS programming.

In the decision-aid methodology for dealing with this problem, Slowinski and Treichel (1988) decomposed the programming task into two problems. The first one consists in setting up a priority order in which water users are connected to a new WSS, taking into account economic, agricultural and sociological consequences of the investment. A water user is understood as a topographically compact group of receivers, e.g. a village, a big farm or a food-processing plant. The second problem concerns the selection of a variant of technical construction of the regional WSS evaluated from technical and economic viewpoints.

In the first problem, the users are evaluated using pseudo-criteria (see Roy, Vincke (1984)) and the final priority order is a partial preorder. Technical variants considered in the second problem are characterized by location and output of water intakes, lay-out and capacity of main pipeline connections, and by the use of reservoirs, pumps, hydrophores, etc. The variants satisfying users' demands are evaluated using true criteria, i.e. traditionally understood criteria which, in contrast to pseudo-criteria, do not involve any

thresholds in the comparison. Let us stress that the families of criteria used in both problems are disjoint.

However, the parts of the decomposed decision problem have to be coordinated in the decision-making process. It was observed by Slowinski and Treichel (1988) that due to some precedence constraints, the schedule of connections of users to the WSS construction according to a given technical variant during the investment period is a partial preorder of users. Thus, in order to coordinate both problems of the programming task, the family of criteria used for evaluation of technical variants should be augmented by a criterion expressing the difference between the priority order of users and the order of users following from the technical programming. So, in the second problem, the technical variants are evaluated from the viewpoints of investment and operating costs, reliability and, moreover, from the viewpoint of difference between a partial preorder corresponding to a variant and a partial preorder which is a priority order resulting from the solution of the first problem.

Such a coordinating criterion can be modelled in terms of a measure of distance between two partial preorders coming from different points of view. Construction of this criterion is the subject of the present paper. The construction has, however, nothing in common with the usual techniques of building criteria (see Bouyssou (1990)). Although the criterion has been defined in view of the above mentioned application, its definition is general and it can be used to compare any two partial preorders coming from different considerations. In practice, such a comparison arises quite often when one has to deal with a precedence order observing some technical constraints and an order following from a socio-economic preference.

The problem of distance between binary relations has been considered for at least 30 years. Kemeny (1959, completed by Kemeny and Snell (1962)) proposed an axiomatic characterization of distance of a symmetric difference (dsd) between complete orders. The work of Kemeny was continued by Bogart (1973, 1975) who studied the case of transitive relations (specifically, partial orders) and asymmetric relations. Before, Chernyi and Mirkin (1970) considered the case of distance between equivalence relations

- still for *dsd*. In fact, all this research derived implicitly from investigation of metric properties of ordered sets. This direction was explored by Barthélémy (1979) who completed the axiomatic characterization of *dsd* in the space of "usual" orderings. Other types of distances were investigated by Cook and Seiford (1978), Armstrong et al. (1972), Cook et al. (1986), Giakoumakis and Monjardet (1987). Apart from the work of Cook et al. (1986 a and b), this investigation was limited to the comparison of complete orders and preorders.

Let us remark that in all those previous considerations, the authors did not care about the origin of the orders to be compared. We claim, however, that it may influence the axiomatic characterization of the distance. In particular, it is important to distinguish between the case of identical and different points of view (disjoint families of criteria) being at the origin of the two orders.

In the next sections, we shall state two sets of conditions which seem appropriate for derivation of a distance between partial preorders coming from two different points of view. We shall demonstrate that these conditions characterize the distance with two degrees of freedom. Two additional conditions will be proposed in section 5 to have a univocal definition of the criterion. In the final section, a numerical example will illustrate the use of the distance criterion in the context of multicriteria programming of water supply systems.

2. GENERAL DEFINITIONS AND NOTATION

Let A be a finite set of objects and (a_i, a_j) an ordered pair of objects belonging to A . In order to specify a preference (priority) between a_i and a_j , we shall consider three binary relations P, I, R having the following meaning :

$a_i P a_j$: a_i is preferred to a_j ,

$a_i I a_j$: a_i is indifferent to a_j ,

$a_i R a_j$: a_i is incomparable to a_j .

For each ordered pair (a_i, a_j) , one and only one of the following assertions is true : $a_i P a_j, a_j P a_i, a_i I a_j, a_i R a_j$. For the sake of convenience we shall substitute $a_i P^* a_j$ for $a_j P a_i$, where P^* means an inverse preference.

Assuming that P is asymmetric, I is symmetric and reflexive, R is symmetric and $P \cup I$ is transitive, the triple P, I, R defines a partial preorder (see Roy, 1985). Let us observe that a particular case of partial preorder P, I, R , where $R = \emptyset$, corresponds to what is called complete preorder P, I , i.e. to P being a weak order.

Let $\acute{O}_1$ and $\acute{O}_2$ be two partial preorders in set A coming from two different points of view. We want to capture the total divergence between $\acute{O}_1$ and $\acute{O}_2$ which aggregates all elementary divergences defined for the pairs (a_i, a_j) of objects. The elementary divergence appears for the pair (a_i, a_j) if and only if the two objects are differently related in $\acute{O}_1$ and $\acute{O}_2$. The intensity of the elementary divergence, denoted by $d(a_i, a_j)$, depends on the nature of the two relations in question. For instance, the intensity of the elementary divergence between $a_i I a_j$ and $a_i R a_j$ can be judged not greater than the one between $a_i R a_j$ and $a_i P a_j$. The most intensive elementary divergence appears when $\acute{O}_1$ and $\acute{O}_2$ compare a_i and a_j in a completely contradictory way : $a_i P a_j$ in $\acute{O}_1$ and $a_i P^* a_j$ in $\acute{O}_2$. A symbolic definition of $d(a_i, a_j)$ is shown in Table 1.

We assume that the sum of elementary divergences, expressed by $d(a_i, a_j)$ for all pairs (a_i, a_j) , reflects well the contradictory character of $\hat{O}_1$ and $\hat{O}_2$. Consequently, the distance $g(\hat{O}_1, \hat{O}_2)$ between preorders $\hat{O}_1$ and $\hat{O}_2$ is defined by :

$$g(\hat{O}_1, \hat{O}_2) = \sum_{\substack{a_i, a_j \in A \\ i > j}} d(a_i, a_j). \quad (1)$$

TABLE 1 : Symbolic definition of $d(a_i, a_j)$

$\hat{O}_1 \backslash \hat{O}_2$	$a_i P a_j$	$a_i P^* a_j$	$a_i I a_j$	$a_i R a_j$
$a_i P a_j$	0	$\delta(P, P)$	$\delta(P, I)$	$\delta(P, R)$
$a_i P^* a_j$	$\delta(P, P)$	0	$\delta(P^*, I)$	$\delta(P^*, R)$
$a_i I a_j$	$\delta(I, P)$	$\delta(I, P^*)$	0	$\delta(I, R)$
$a_i R a_j$	$\delta(R, P)$	$\delta(R, P^*)$	$\delta(R, I)$	0

The problem is then to assign appropriate values to elements δ of Table 1. For this purpose, in sections 3 and 4, we shall state two kinds of conditions. Taking them into account, we shall determine in section 5 the unknown values of Table 1, and consequently, the criterion defined by formula (1).

3. LOGICAL CONDITIONS

In order to be a distance, $g(\acute{O}_1, \acute{O}_2)$ has to verify three axioms corresponding to the first three following conditions.

L1. $g(\acute{O}_1, \acute{O}_2) = 0$ if and only if $\acute{O}_1$ is identical to $\acute{O}_2$; otherwise $g(\acute{O}_1, \acute{O}_2) > 0$.

$\acute{O}_1$ is identical to $\acute{O}_2$ if and only if $d(a_i, a_j) = 0$ for all pairs (a_i, a_j) . Consequently, condition *L1* is verified if and only if :

$$\delta(q_1, q_2) > 0 \text{ for } q_1 \neq q_2, \quad q_1, q_2 \in \{P, P^*, I, R\}. \quad (2)$$

L2. $g(\acute{O}_1, \acute{O}_2) = g(\acute{O}_2, \acute{O}_1)$.

This is true if and only if Table 1 is symmetric :

$$\delta(q_1, q_2) = \delta(q_2, q_1) \text{ for all } q_1, q_2 \in \{P, P^*, I, R\}. \quad (3)$$

L3. $g(\acute{O}_1, \acute{O}_2) + g(\acute{O}_2, \acute{O}_3) \geq g(\acute{O}_1, \acute{O}_3)$ (triangular inequality).

Let us consider the particular case where set A is reduced to two objects a_i and a_j , and assume that relations existing among those objects in preorders $\acute{O}_1, \acute{O}_2, \acute{O}_3$ are q_1, q_2, q_3 , respectively. Condition *L3* for this pair of objects takes then the form :

$$\delta(q_1, q_2) + \delta(q_2, q_3) \geq \delta(q_1, q_3). \quad (4)$$

The next condition is not related to classical axioms of a distance.

L4. For the reason of consistency, it is suitable to have :

$$\delta(P, I) = \delta(P^*, I), \delta(P, R) = \delta(P^*, R). \quad (5)$$

In order to justify the first equality of (5), let us consider two objects a_i, a_j which are compared in the following way :

in $\acute{O}_1 : a_i P a_j \Leftrightarrow a_j P a_i$,

in $\acute{O}_2 : a_i I a_j \Leftrightarrow a_j I a_i$.

When calculating the distance between $\acute{O}_1$ and $\acute{O}_2$, we can take into account either the ordered pair (a_i, a_j) or the ordered pair (a_j, a_i) . In the first case we have to use $\delta(P, I)$, while in the second, $\delta(P, I)$. It is clear that the contribution of both ordered pairs to the distance should be the same. The same justification can be made for the second equality of (5) if we substitute R for I.

4. SIGNIFICANCE CONDITIONS

The purpose of the following conditions is to reflect some subjective requirements which do not follow from pure logical reasons but from practical significance of P , I , R appearing in preorders coming from different points of view. Precisely, the significance concerns the intensity of elementary divergences between $a_i P a_j$, $a_i P^* a_j$, $a_i I a_j$ and $a_i R a_j$.

S1. The contradiction between P and P^ in two different preorders is not smaller than the sum of contradictions between I and P on the one hand, and I and P^* on the other hand. It means that :*

$$\delta(P, P^*) \geq \delta(P, I) + \delta(I, P^*). \quad (6)$$

Let us consider three preorders shown in Fig. 1. We have $g(\acute{O}_1, \acute{O}_2) = d(a_i, a_j) = \delta(P, I)$, $g(\acute{O}_2, \acute{O}_3) = d(a_i, a_j) = \delta(I, P^*)$, $g(\acute{O}_1, \acute{O}_3) = d(a_i, a_j) = \delta(P, P^*)$. Condition *S1* expresses the idea that the contradiction between $\acute{O}_1$ and $\acute{O}_3$ is at least as big as the sum of contradictions between $\acute{O}_1$ and $\acute{O}_2$ on the one hand, and $\acute{O}_2$ and $\acute{O}_3$ on the other hand.




Fig. 1

S2. The contradiction between P and P^* in two different preorders is not smaller than the contradiction between P and R which is, in turn, not smaller than the contradiction between I and R . It means that :

$$\delta(P, P) \geq \delta(P, R) \geq \delta(I, R). \quad (7)$$

The condition that $\delta(P, P)$ is not smaller than $\delta(P, R)$ and $\delta(I, R)$ expresses the idea that the most intensive elementary divergence arises when two objects are compared in an opposite way in the two preorders.

Among three elementary divergences considered in (7), $\delta(I, R)$ seems to be the less intensive (see Fig. 2). Indeed, as R reflects an impossibility of finding any convincing reason for choosing one of relations P , I , P^* , some authors have a tendency to identify I with R , i.e. to reduce $\delta(I, R)$ to zero. In contrast to the first tendency, the distance derived from the axiomatic basis of Cook et al. (1986a) leads to $\delta(I, R) = \delta(P, R)$. The latter proposal does not seem less appropriate than the former, so we admit that $\delta(P, R) \geq \delta(I, R)$.




Fig. 2

5. FINAL RESULT

5.1 Domain of variation of $\delta(q_1, q_2)$

There are 12 strictly positive variables $\delta(q_1, q_2)$, $q_1, q_2 \in \{P, P', I, R\}$ in Table 1 (see *L1*). According to *L2* and *L4*, it is sufficient to give a value to 4 of them in order to determine the value of 8 others. These 4 variables are, for example, $\delta(P, I)$, $\delta(P, P')$, $\delta(I, R)$, $\delta(P, R)$.

It is not restrictive to let $\delta(P, I) = 2$. According to *S1*, $\delta(P, P') = 4$. For the sake of convenience, let $\delta(I, R) = x$ and $\delta(P, R) = y$ (see Table 2). Due to *S2*, we have

$$4 \geq y \geq x. \quad (8)$$

If we apply *L2* (precisely, (4)) to the triangle $(a_i P a_j) (a_i R a_j) (a_i P' a_j)$, we get (see Fig. 3) :

$$y + y \geq 4$$

or, simply, $y \geq 2$. (9)




Fig. 3

If we consider now the triangle $(a_i P a_j) (a_i I a_j) (a_i R a_j)$, we obtain (see Fig. 3) :

$$2 + x \geq y. \quad (10)$$

After aggregating (2), (8), (9), (10), we finally obtain :

$$0 < \max\{2, x\} \leq y \leq \min\{4, 2 + x\} \quad (11)$$

which define the domain of variation of the two unknowns x and y (see Fig. 4).




Fig. 4

Taking into account definition (1), Table 2 and formula (11), it can be seen that for any partial preorders $\hat{O}_1, \hat{O}_2$:

$$0 \leq g(\hat{O}_1, \hat{O}_2) \leq 2n(n - 1)$$

where n is the cardinality of set A . Moreover, $g(\hat{O}_1, \hat{O}_2) = 0$ if and only if $\hat{O}_1$ and $\hat{O}_2$ are identical (see *L1*), and $g(\hat{O}_1, \hat{O}_2) = 2n(n - 1)$ if and only if $\hat{O}_1$ and $\hat{O}_2$ are two exactly inverse complete orders.

Table 2. Definition of $d(a_i, a_j)$ taking into account $L1, L2, L3, L4, S1, S2$
(x, y) have to verify (11))

$\hat{O}_1 \backslash \hat{O}_2$	$a_i P a_j$	$a_i P^* a_j$	$a_i I a_j$	$a_i R a_j$
$a_i P a_j$	0	4	2	y
$a_i P^* a_j$	4	0	2	y
$a_i I a_j$	2	2	0	x
$a_i R a_j$	y	y	x	0

Let us observe that :

- in the case of complete preorders, the distance criterion defined above is reduced to the classical symmetric difference ;
- the distance obtained by Cook et al. (1986a) corresponds to the one defined above for $x = y = 2$.

5.2 Solution finally adopted

One may wish, as it is the case of our application presented in section 1, not to keep intervals in the definition of the distance criterion. To give a value to x and y , one has to introduce some additional restrictions, perhaps more questionable than the previous ones.

Let us remark that according to (11), x may be greater or lesser than 2. We find no convincing argument neither for $\delta(I, R) > \delta(I, P)$ nor for $\delta(I, R) < \delta(I, P)$. Moreover, having

$$a_i I a_j \text{ in } \hat{O}_1, a_i R a_j \text{ in } \hat{O}_2 \text{ and } a_i P a_j \text{ in } \hat{O}_3,$$

we consider that $\hat{O}_1$ contradicts $\hat{O}_2$ and $\hat{O}_3$ to the same extent. This leads to adopt

$$\delta(I, R) = \delta(I, P) = x = 2. \quad (12)$$

Taking into account (11) and (12), we get

$$2 \leq y \leq 4.$$

In order to fix the position of y within the interval $[2, 4]$, we can compare the differences $\delta(P, P) - \delta(P, R)$ and $\delta(P, R) - \delta(P, I)$. We find, however, no argument which would justify that one of these differences is greater than another. Thus, it seems natural to consider them as equal :

$$\delta(P, P) - \delta(P, R) = \delta(P, R) - \delta(P, I).$$

It follows that

$$\delta(P, R) = y = 3.$$

Let us notice that the values finally selected : $x = 2$ and $y = 3$ correspond to the central point M of the feasible domain defined by (11) (see Fig. 4).

6. NUMERICAL EXAMPLE

Let us come back to the WSS programming problem presented in the introduction. We shall consider an example of 10 water users (villages or big farms). Our aim is to use this example in order to present a part of the methodology for WSS programming which is concerned with the use of the proposed distance measure. In particular, we want to show the context in which the distance measure plays a coordinating role between two problems of the programming task. The complete methodology is presented in another paper by Roy et al. (1991).

The first problem of the programming task consists in finding a priority order of users taking into account the following criteria :

- c_1 : water defficiency in the user's area,
- c_2 : farm production potential,
- c_3 : function and standing of the user,
- c_4 : structure of settlements in the user's area,
- c_5 : water demands,
- c_6 : share of water supply installations in overall investments concerning the user,
- c_7 : possibility of connecting the user to another existing WSS.

Evaluation of the users by the above criteria is shown in Table 3.

In order to model preferences with respect to particular criteria, we introduce indifference and preference thresholds on $c_1, c_2, \dots, c_7$. Such models of preferences are called pseudo-criteria. A global model of preferences is a fuzzy outranking relation obtained using ELECTRE III which involves, moreover, veto thresholds and importance indices of criteria (see Roy (1978) and Roy et al. (1986)). All these additional data are listed in Table 4.

An exploration of the fuzzy outranking relation using a distillation procedure of ELECTRE III leads to a partial preorder of users shown in Fig. 5. It is, of course, a final




Fig. 5. Priority order of users $\hat{O}_p$ resulting from ELECTRE III

The second problem of the programming task concerns the selection of a variant of technical realization of the regional WSS evaluated from technical and economic viewpoints. In order to create a set of variants, a special generator is used which takes into account water demands, maximum capacities of possible system components and a potential distribution network. This network is composed of all possible main pipeline connections between sources and users. Each generated variant determines a selection of water sources and a subnetwork of pipeline connections which satisfy water demands. The variants are characterized by investment and operating costs depending on the type of water intakes, pumps, water treatment facilities, the way of storing water and the routing of pipeline connections.




Fig. 6. Potential distribution network

Coming back to our example, the potential distribution network and possible location of water sources and reservoirs are shown in Fig. 6.

Nine technical variants which satisfy water demands have been generated from the full network. For each variant, it is possible to determine an order of connections of users to the WSS. A user's rank in the order depends on its location in relation to water sources and other users, as well as on the schedule of technical construction of the WSS according to a given variant. The orders corresponding to 9 variants are partial preorders $\hat{O}_{v_1}, \hat{O}_{v_2}, \dots, \hat{O}_{v_9}$, shown in Fig. 7.

Using the criterion of distance proposed in this paper (with $x = 2, y = 3$), we can compare technical programming orders $\hat{O}_{v_1}, \hat{O}_{v_2}, \dots, \hat{O}_{v_9}$ with priority order of users $\hat{O}_p$.

Evaluation of 9 technical variants using investment and operating costs criteria and the distance criterion is shown in Table 5.

As can be seen from Table 5, a final selection of the best variant is not trivial since the cheapest technical variant is not the closest to the priority order of users $\hat{O}_p$ (see variant v_7). The selection can be performed using one of available methods, like ELECTRE I (see Roy (1985) and Goicoechea et al. (1982)) or PREFCALC (see Jacquet-Lagrèze (1990)). This question is, however, beyond the scope of the present paper.

TABLE 5 : Evaluation of technical variants

Variant \ Criterion	Investment cost	Operating cost	Distance criterion $g(O_p, O_e)$
v_1	191	32	87
v_2	88	19	117
v_3	93	19	106
v_4	83	15	94
v_5	94	15	108
v_6	79	16	102
v_7	78	16	119
v_8	94	15	113
v_9	97	13	88

REFERENCES

- R.D. AMSTRONG, W.D. COOK and L.M. SEIFORD, "Priority Ranking and Consensus Formation : The Case of Ties", *Management Sc.*, 28, 6 (1982), 638-648.
- J.P. BARTHÉLÉMY, "Caractérisations axiomatiques de la distance de la différence symétrique entre des relations binaires", *Math. Sci. Hum.* 17, 67 (1979), 85-113.
- K.P. BOGART, "Preference Structures I : Distance between Transitive Preference Relations", *J. Math. Sociol.*, 3 (1973), 49-67.
- K.P. BOGART, "Preference Structures II : Distance between Asymmetric Relations", *SIAM J. Appl. Math.*, 29, 2 (1975), 254-262.
- D. BOUYSSOU, "Building criteria : A Prerequisite for MCDA", (in) Carlos A. Bana e Costa (ed.), *Readings in Multiple Criteria Decision Aid*, Springer-Verlag, Berlin, 1990, pp. 58-80.
- L.B. CHERNYI and B.F. MIRKIN, "Measurement of Distance between Distinct Partitions of a Finite Set of Objects", *Avtomatika i Telemekhanika*, translated from Russian in *Automation and Remote Control*, 31, 5 (1970), 786-792.
- W.D. COOK, M. KRESS and L.M. SEIFORD, "An Axiomatic Approach to Distance on Partial Ordering", *RAIRO Recherche Opérationnelle* 20, 2 (1986 a), 115-122.
- W.D. COOK, M. KRESS and L.M. SEIFORD, "Information and Preference in Partial Orders : A Bimatrix Representation", *Psychometrika*, 51, 2 (1986 b), 197-207.
- W.D. COOK and L.M. SEIFORD, "Priority Ranking and Consensus Formation", *Management Sci.*, 24, 16 (1978), 1721-1732.
- S. GIAKOUMAKIS S. and B. MONJARDET, "Coefficients d'accord entre deux préordres totaux", *Stat. et Analyse des Données*, 12, 1-2 (1987), 96-99.
- A. GOICOECHEA, D.R. HANSEN and L. DUCKSTEIN, *"Multiobjective Decision Analysis with Engineering and Business Applications"*, John Wiley and Sons, Inc., New York, 1982.
- E. JACQUET-LAGRÈZE, "Interactive Assessment of Preferences using Holistic Judgments : The PREFCALC System", (in) Carlos A. Bana e Costa (ed.), *Readings in Multiple Criteria Decision Aid*, Springer-Verlag, Berlin, 1990, pp. 335-350.

- J.G. KEMENY, "Mathematics without Numbers", *Deadalus*, 88 (1959), 577-591.
- J.G. KEMENY and J.C. SNELL, "*Mathematical Models in the Social Sciences*", Gi naud Co., New York, 1962.
- B. ROY, "ELECTRE III - un algorithme de classement fondé sur une représentation floue des préférences en présence de critères multiples", *Cahiers du CERO*, 20 (1978), 3-24.
- B. ROY, M. PRÉSENT and D. SILHOL, "A Programming Method for Determining which Paris Metro Stations should be Renovated", *European J. Operational Res.* 24, 2 (1986), 318-334.
- B. ROY, R. SLOWINSKI and W. TREICHEL, "Multi-criteria Programming of Rural Water Supply Systems", Université de Paris-Dauphine, *Document du LAMSADE* n° 65, May 1991.
- R. SLOWINSKI and W. TREICHEL, "Multicriteria Analysis of Regional Water Supply Systems", (in) H.P. Geering, M. Mansour (eds.), *Large Scale Systems*, Pergamon Press, Oxford, 1986, pp. 745-748.
- R. SLOWINSKI and W. TREICHEL, "Multicriteria Decision Aid for Regional Water Supply System Programming", (in) Proc. 33. Intern. Wiss. Koll. TH Ilmenau 1988, Vortragsreihe *Technische Kybernetik/Automatisierungstechnik*, Ilmenau, DDR, 1988, pp. 281-284.
- W. TREICHEL, "Application of a MCDM Technique for Programming of Water Supply Systems", (in Polish), *Przegląd Statystyczny*, 34, 4 (1987), 369-384.